

amateur radio

Vol. 35, No. 8 AUGUST 1967

25c

STEREOGRAM & TUNER CHASSIS Medium fidelity, 4-valve (2 x 68M8, 6N8, 6N7), Aust. made, straight line dial, 15 ohm output, approx. 3 watts per channel output. As new, fully tested, ideal for use as tuner or built-in unit, etc. Price \$30 inc. new valves, or \$25 less valves. MSP 6 inch speakers to suit, 34.50 each.

STEREO RECORD CHANGER

Balfour "Princess" Stereo 4-peed, automatic record changer. Made in England, complete Ronette ceramic cartridge, brand new in ca Price 325 inc. post. Stereo Record Player, as above, less automatic mechanism. Player only, inc. cartridge, manual operation. Price \$14 inc. post. Stereo Record Player, very well known make, semi-automatic operation, Ronette ceramic cart-ridge, 4-peed, Price S19.50.

VIDEO PEAKING CHOKES MINIATURE PIGTAILS. IRONCORE

, 22 uH., 27 uH., 33 uH., 39 uH., 47 uH. , 68 uH., 82 uH., 100 uH., 120 uH., 190 uH., , 220 uH., 270 uH., 330 uH., 390 uH., 470 uH. H. Price 40c. Postage 10c.

		VERNIER DIALS	
	Ratio	8 to 1 Reduction, Scales	d 0-16
Type	T 501	11/2 inch diameter	
		2 inch diameter	
	T 503	3 inch diameter	

CRYSTALS HC6/U or HC18/U holders. 27,240 Mc., new, \$3.50. 26,785 Mc., new, \$3.50 Frequencies available: 4852, 5850, 4735, 5205, 5780, 4840 and \$397 Kc. Three for \$2.

POWER TRANSFORMERS 1982 150-0-150v., 30 mA., 6.3v. 1.75a. 1982 1250-025v. 80 mA., 6.3v. 2a. 1932 2250-225v. 80 mA., 6.3v. 2a. 2050 Voltage Doubler, 30, 265v. d.c. 2054 Voltage Doubler, 340, 315v. d.c. 125 mA., 6.3v. c.t. 2.25a. Voltage Doubler, 310, 285, 250v. d.c. 100 mA., 6.3v. c.t. 4a. \$3.75

NEW MULTIMETERS IN STOCK PT34 Pocket Multimeter 200H Multimeter, 20,000 c.p.v. CT330 Multimeter, 20,000 c.p.v. CT630 Multimeter, 30,000 c.p.v.

\$8.75

BARGAINS! BARGAINS

BARGAINS!

Westinghouse TIP Receive View 1 and 9 st 1.5

Soring Ferminals: black, red and gene. The acSoring Ferminals: black, red and gene. The acSoring Ferminals: black, red and gene. The acBox Tips Soring Ferminals: black, red and gene. The acprop. 6 st 1/6 in 55

Soring Ferminals: black, red and gene. The acBox Tips Soring Ferminals: black, red and gene. The acBox Tips Soring Ferminals: black red and gene. The acBox Tips Soring Ferminals: black red and gene. The acpropriate Ferminals: black red and gene. The acpropriate Ferminals: black red and gene. The acpropriate Ferminals: black red and gene. The acTips Soring Ferminals: black red and gene. The acTips Soring Ferminals: black red and gene. The acMaringforce Wine Soring Ferminals: black red and gene. The acMaringforce Calle, deleted single core. the year,
Call and Called Tips red and gene.

WALKIE-TALKIES

50 milliwatts, 4-transistor, operating freq. 27.240 Mc., crystal locked transmitter, 1 to 5 mile range in open country. Price \$35 a pair, to clear,

GRID DIP METER, TE-18 360 Kc. to 220 Mc., in 8 bands, plug-in colls, can also be used as a Field Strength Meter or Signal Generator. Few only at this Price of \$34.

STEREO PREAMPLIFIER

(FOUR-TRANSISTOR) (FOUR-TRANSISTOR)
Solid state Phono-Tape Storophonic Pre-amplifier, Matches most types of magnetic cartridges. Specifications: Power amplitude, 45 db, pits or minus contains: Power amplitude, 45 db, pits or minus of less than 1 p.c. (800 mV.); noise ratio, minus 55 db, or more; max. input, minus 35 db, (16 mV.); normal input, minus 45 db, (5 mV.); power, 260... c; complete in metal caloniot. Price \$19.50.

RECORDING TAPES Well Known Makes-Brand New-Gus MAIL TAPES ON 3 INCH REELS

314 INCH REELS 600 ft. Tensilised Mylar, 0.5 mil. 5 INCH REELS 600 ft. Acetate, 1.5 mil. 900 ft. Acetate, 1.0 mil. 500 ft. Acetate. 1.0 mil. 500 ft. Mylar. 1.0 mil. 500 ft. Mylar. 0.5 mil. 800 ft. Tensilised Mylar. 0.48 mil. 574 INCH REELS 7 INCH REELS 1200 1200 1800 1800 2400 3000

EMPTY TAPE REELS inch 25c; 3½ Inch 35c; 4 Inch 35c inch 40c; 5½ inch 55c; 7 Inch 50c PLASTIC STORAGE CASES & EMPTY REEL 5 Inch 80c: 7 Inch \$1.20

OR WITHOUT REEL 5 inch 50c: 7 lach 1 TAPE ACCESSORIES 55c \$1.20

ALIGNMENT TOOLS

Jabel No. 4 Alignment Tool Kits. All popul sizes, Four tools in plastic pouch. Price \$1.20.

NEW POTENTIOMETERS r or log types. 500 ohms, 1K, 2.5K, 5K, 10K, 50K, 100K, 250K, 500K, 1 Meg., 2 Meg., g., 5 Meg., Price 90c,

SATO SLIDER SWITCHES **ELECTROLYTIC CAPACITORS**

Drica PO. WELL KNOWN MAKE

POTENTIOMETERS (Carbon)

POLYPAK BARGAINS All New Components, Popular Type Assorted: Mica, Paper, Polyester and Ceramic Condensers
Assorted: Mica and Silver Mica Con-

densers 1 w. Preferred Values esistors: 1/4, 1/2, 1 w. Preferred Values THIS MONTH'S SPECIALS

1 pole, 12 position Rotary Wafer es., or 3 for \$2 Speakers, 21/4 in, diam., 8 ohm voice coil \$1.75 F. Transformers, Miniature Transistor Radio Type, 1st, 2nd, 3rd I.F., 85c each or Set of Three \$2.25.

CHASSIS-ALUMINIUM

2:	6	in.	×	4	in.	×	2	in.					80:
3:	8	in.											\$1 00
4:	10	ia.	×	6	in.	x	2	44 I	in.				\$1.2
5:	11	in.	×	8	in.	x	2	44 I	in.				\$1.50
6:	13	in.	×	7	in.	×	2	44.1	in.				\$1.50
7.	13	in	v	10	in	¥	2	60.1	in		-		\$1.75
			Ÿ	8	in	ç	3	fa		***			\$2.15
			ç	10	in	ç	3	10	-		*****		\$2.4
			÷	12	in	ç	ž	lo		****			\$2.0
			(P	ack	and	Ĥ	ns	1 1	10:1				44.4
			4		-		-	•	,				
	4: 5:	2: 6 3: 8 4: 10 5: 11 6: 13 7: 13 8: 17 9: 17	2: 6 in. 3: 8 in. 4: 10 in. 5: 11 in. 6: 13 in. 7: 13 in. 8: 17 in. 9: 17 in.	2: 6 in. x 3: 8 in. x 4: 10 in. x 5: 11 in. x 6: 13 in. x 7: 13 in. x 8: 17 in. x 9: 17 in. x 10: 17 in. x	2: 6 ln. x 4 3: 8 ln. x 5 4: 10 ln. x 6 5: 11 ln. x 8 6: 13 ln. x 7 7: 13 ln. x 7 8: 17 ln. x 8 9: 17 ln. x 10 10: 17 ln. x 10	2: 6 in. x 4 in. 3: 8 in. x 5 in, 4: 10 in. x 8 in. 5: 11 in. x 8 in. 6: 13 in. x 7 in. 7: 13 in. x 10 in. 8: 17 in. x 8 in. 9: 17 in. x 8 in. 9: 17 in. x 10 in. 10: 17 in. x 12 in.	2: 6 in. x 4 in. x 3: 8 in. x 5 in. x 4: 10 in. x 6 in. x 5: 11 in. x 8 in. x 6: 13 in. x 7 in. x 7: 13 in. x 10 in. x 8: 17 in. x 8 in. x 9: 17 in. x 10 in. x 10: 17 in. x 12 in. x	2: 6 ln. x 4 ln. x 2 3: 8 ln. x 5 ln. x 2 4: 10 ln. x 6 ln. x 2 5: 11 ln. x 8 ln. x 2 7: 13 ln. x 7 ln. x 2 7: 13 ln. x 7 ln. x 2 9: 17 ln. x 8 ln. x 3 9: 17 ln. x 8 ln. x 3 9: 17 ln. x 8 ln. x 3 9: 17 ln. x 8 ln. x 3	2: 6 in. x 4 in. x 2 in. 3: 8 in. x 5 in. x 2 iv. 4: 10 ia. x 6 in. x 2 iv. 5: 11 in. x 8 in. x 2 iv. 6: 13 in. x 7 in. x 2 iv. 7: 13 in. x 10 in. x 2 iv. 8: 17 in. x 8 in. x 3 in. 9: 17 in. x 10 in. x 3 in. 10: 17 in. x 12 in. x 3 in.	2: 6 in. x 4 in. x 2 in	2: 6 in. x 4 in. x 2 in 3: 8 in. x 5 in. x 2½ in 4: 10 ia. x 5 in. x 2½ in 5: 11 in. x 8 in. x 2½ in 6: 13 in. x 8 in. x 2½ in 6: 13 in. x 7 in. x 2½ in 8: 17 in. x 8 in. x 3 in 9: 17 in. x 8 in. x 3 in	2: 6 in. x 4 in. x 2 in	2: 6 in. x 4 in. x 2 in



RADIO SUPPLIERS 5A MELVILLE ST., HAWTHORN, VIC. Phone 86-6465

te \$3.75

323 ELIZABETH ST., MELBOURNE, VIC. Phone 67-4286

North Balwyn tram passes corner of Melville St. Money Orders and Postal Notes payable North Hawthorn P.O. We sell and recommend Leader Test Equipment, Pioneer Stereo Equipment and Speakers, Hitachi Radio Valves and Transistor Redios, Kew Brand Meters, A. & R. Transformers and Transistor Power Supplies, Ducon Condensers, Welwyn Resistors, etc.

"AMATEUR RADIO"

JOURNAL OF THE WIRELESS INSTITUTE OF AUSTRALIA FOUNDED 1910

AUGUST 1967 Vol. 35, No. 8

K. E. PINCOTT VK3AFJ	CONTENTS								
		Page							
Assistant Editor:	Technical Articles:—								
E. C. Manifold VK3EM	"The Thing"-Transistorised-Part Four	7							
Publications Committee:	Transistor Amplifier Design-Part Five	- 5							
G. W. Baty (Secretary) VK3AOM A. W. Chandler (Circulation) VK3LC	Tunable I.F. for Converters	12							
K. M. Cocking VK3ZFQ	W.I.A. Federal Executive:—								
Ken Gillespie VK3GK									
W. E. J. Roper VK3ARZ	Federal Comment: The Institute and Federation	2							
Draughtsmen:-	Federal Communication No. 2: What is Amateur								
Clem Allan	Radio?	15							
ian Smith 35 Green St., Notice Park	General:—								
Advantation Francisco	Amateur Licences in U.K	18							
Advertising Enquiries: C/o. P.O. Box 36. East Melbourne, Vic., 3002.	Australia's First Orbiting Satellite	3							
Mrs. BELLAIRS, Phone 41-3535, 478 Victoria	DX'er of the Month—VK0CR	21							
Parade, East Melbourne, Vic., 3002, Hours: 10 s.m. to 3 p.m. only.	Handissanad Inc	13							
to a.m. to 3 p.m. only.		10							
Publishers:	N. O. H. O.								
VICTORIAN DIVISION W.I.A.		18							
Reg. Office: 478 Victoria Parade, East Mel- bourne. Vic., 3002.	Obituary	25							
bourne, Vic., 3002.	Prediction Charts for August 1967	20							
Printers:	W.I.A. DXCC	21							
"RICHMOND CHRONICLE," Phone 42-2419.	Contests:—								
Shakespeare Street, Richmond, Vic., 3121.	VK-ZL-Oceania DX Contest, 1967, Rules	11							
	13th W.A.E. DX Contest, 1967, Precis of Rules	19							
	1000 1100 11 111 11 0 1 1 111 11 11	19							
All matters pertaining to "A.R.," other than		19							
subscriptions, should be addressed to:	Notes:—								
THE EDITOR, "AMATEUR RADIO,"	DX	21							
P.O. BOX 36.	Federal and Divisional Monthly News Reports	23							
EAST MELBOURNE, VIC., 3002.	Publications Committee Reports	19							
Acknowledgments will be sent following the	SWL	22							
Committee meeting on the second Monday of each month. All Sub-Editors should forward	VHF	17							
	Vouth Dodio Cohomo	19							
of each month. Any item received after the	Touth hadio ocheme								

W.I.A. OFFICIAL BROADCASTS

CONTENTE

NEW SOUTH WALES VK2WI, Sundays, 1100 hrs. E.S.T. VICTORIA

VK3WI, Sundays, 1030 hrs. E.S.T. 1825 Kc. a.m. 144.5 Mc. a.m. 3600 Kc. s.s.b. 145.854 Mc. f.m. 7146 Kc. a.m. 432.5 Mc. a.m. 53.032 Mc. a.m.

OUEENSLAND VK4WI, Sundays, 0900 hrs. E.S.T. 3580 Kc. 53.995 Mc. 7146 Kc. 144.36 Mc. 14.342 Mc. SOUTH AUSTRALIA VK5WI, Sundays, 0900 hrs. C.S.T. 3.5, 14, 52 and 144 Mc. bands

WESTERN AUSTRALIA VK6WI, Sundays,

TASMANIA VK7WI, Sundays, 1000 hrs. E.S.T. 3672 Kc., and re-transmitted by

representative stations on— 7146 Kc. 144.1 Mc. 53.032 Mc. 432.6 Mc.

visional Secretary and not to "A.8." direct visional Secretary and not to "A.8." direct visions of the secretary and the

about two months may nical article is published at the Publications Committee.

Firect subscription rate is \$3.00 a year, post aid, in advance, Issued monthly on first of he month. Eabrury edition excepts

A FTER five year of deliberations on drafts and re-drafts of a proPEDE panel Constitution designed to Australia, the Federal Council has now reached unanimity; the differing opinion about many clauses have been amicreached unanimity; the differing opinion about many clauses have been amicrelated to the council of the council about many clauses proceeding the relation of the council about the council property of the council and effort the Wireless Institute of which, when implemented in the next month of two, will make the W.I.A. a month of two, will make the W.I.A. as

truly Federal organisation.
This has been effected in five years, yet the desire that it be greatly to the desire that it be greatly to the property of the pr

in an Amateur way.

Historical facts concerning the for-

mation of this federal body in the Institute are currently incomplete, but it is obvious the move was partly successful because the 1st Federal Cancessful because the 1st Federal Cancesful because the 1st Federal Cancesful the Porth the following year. Between 1920 and 1925 the majority of wireless clubs formed after World War I. to pursue including the property of the property o

This "federal council" continued uncloning—seemingly without a conempresentative or proxy from each State division to meet annually for the purpose of resolving mutual problems. At a continue of the purpose of resolving mutual problems, at the continue of the purpose of resolving mutual problems. At the continue of the conti

In 1925 the proposal was obviously discussed but there are no records of any plan getting under way at that the proposal proposal

useful plan to Federate could have been

THE INSTITUTE AND FEDERATION

implemented in these early days, the main one being the necessity for the Divisions to be incorporated under the Divisions to be incorporated under although not long after 1825 at least two Divisions had made this move. Company Law differed between the States too and only within recent years company Law. Secondly, there was no standardisation of divisional constitutions or articles and memorandums of true federation could be built. But the idea was on its way.

idea was on 18 way.

The very presence of a Federal Council and what it recently of creditive was that in 1935 Federal President R.

Elliott (the Executive was then located in VK5) commenced drafting a "uniform constitution to operate throughout the States". It was finally completed in 1939 but was shelved for the duration of World War, II.

When Anateurs were licensed to again transmit, this draft was on the agend for the 1947 Convention. Amount and adopted in 1948 as "The Wireless Institute of Australia 1939 Constitution of Australia 1939 Constitution of the Pederal Constitution of the Wireless Federal Constitution of the Wireless Tendent State of the Wireless Federal Constitution of the Wireless Federal Constitution of the Wireless Federal Constitution of the Present australia purpose right up to the present australia australia purpose right up to the present australia australia

FEDERAL COMMENT

Constitution, in practice not a legal document under Company Law, but rather a satisfactory agreement between the Divisions as a basis for federal representation. This has been recognised by Institute Administrators for two decades or more. How to bring about a change was the problem. In 1949 the Federal Executive, on behalf of the Federal Caucil, co-opde

In 1949 the Federal Executive, on behalf of the Federal Council, co-opted the late John Moyle to prepare the draft for a "Uniform Divisional Constitution" designed to bring about a uniformity of administration within the Divisions which had, up to this time, been operating in most States under articles and memorandum of association alike in some respects but at variance in the process of the state of the

combine the Uniform Divisional Constitution with the Federal Constitution (as Amended) 1947 to become the Federal Constitution of the Wireless Institute of Australia.

Major W. T. S. Mitchell prepared a draft constitution based on the combination of the two constitutions. Simultaneously M. J. Owen (VKX) preultaneously M. J. Owen (VKX) pre-Constitution. Both were on the agenda of the Perth Convention in 1983, but the Federal Council ciected to consider and this, in its amended form, is the Federal Constitution which has been and this, in its amended form, is the Federal Constitution which has been accepted and ratified by all Divisions. And so ends a brief historical review But which were considered to the constitution of the constitution which has been also been some complex of the constitution which has been also been some constitution which has been also been considered to the constitution of the

is it that has made Administrators of the W.I.A. seek, in effect, Federation ever since 1920? It seems that two references to the word "Federal" sums up the reason adequately: "Of the form of government in

"Of the form of government in which two or more States form a political unity but remain independent in internal affairs" nd—

"Of such political unity as distinct from the separate States comprising it."

Surely this is what has been sought after, for these definitions give force to the administrative requirement of an Institute such as ours—"that it have a strong central governing body distinct from the individual State administrations which remain independent in internal affairs but are united with the Federal body as their Federal representation. The old constitution did not provide for a strong central administration, the new one does. The general member of the Institute will note little difference, if any, in the function of his Division and what it does for Amateur Radio. But to those who have laboured so hard for five years to bring to fruition the dream of 47 years of seeking an effective Federal organisation will go the unending thanks of the future administrators. Amateur Radio will have a strong chance for survival under a truly Fed-eral Constitution. Not because it will have any observable effect on the day to day activities of Amateurs, but because it will speed up the inside administration of the Institute and enable benefits to be derived in the long term which have been so pro-

tracted under the old system.

My congratulations are extended to all those—past and present—who have worked so unsparingly in achieving this

-G. Maxwell Hull, Federal President, W.I.A.

AUSTRALIA'S FIRST ORBITING SATFLLITE

The Package: The unit is 18" x 22" x 6", weighing 35 lbs. It utilises 20 lb. of manganese-alkali batteries from Union Carbide, U.S.A., which will supply for about three months. It is a completely solid-state package, and all components have been supplied free by Fairchild Australia.

Orbit: The expected orbit (approximate and subject to confirmation) is 500 miles circular, 70° inclination, period 100.9 minutes.

Stabilisation: A bar magnet, inter-acting with the earth's magnetic field, will stabilise the package to reduce fading of signals to antenna movement as the satellite spins. Magnetic hysteresis rods damp motion on two axes, dissipating the earth's magnetic field energy.

SOME TECHNICAL DETAILS

Electronics: V.h.f. 2 metre transmitter design, output 50 mW. on 144.050 Mc. A.m. telemetry modulation, crystal controlled.

H.f. 10 metre transmitter design, output 250 mW. on 29.450 Mc., commandable on/off a.m. telemetry modulation also (180° cut-off phase with v.h.f.).

Limiter: Schmidt trigger circuit limits the I/C audio signal, giving a square wave output with a well-defined

peak-to-peak voltage. The peak-to-peak voltage must exceed 1 volt. Tuned Amplifier: Series feedback voltage amplifier with tuned load con-verts I/C square wave to sine wave.

Level Detector: Schmidt trigger, which triggers if the input becomes more positive than the threshold. The threshold is set above voltage reached by sine wave due to third sub-harmonic, but is below that reached by correct tone with about 3:1 mark-space ratio. The detector provides a square wave output with a well-defined peak-topeak voltage.

Delay Circuit: Diode pump circuit, with time constant 1000 cycles—i.e. output voltage is 1/e of final voltage after 1000 cycles of input.

Output Trigger: Triggers when in-put voltage exceeds threshold of Schmidt trigger. Together with the delay must urigger. Together with the delay of 1/5 second between the application of a tone and operation of the output trigger. When tone is removed, the 0.47 uF. capacitor is discharged by the forward base current of the left-hand transistor, and takes about five seconds before the trigger resets.

Logic and Bistable: A diode gate produces a positive going pulse when-ever both inputs go positive (i.e., both enable and execute tones received within 5 seconds of each other). Pulse turns on a pull-down transistor in bistwhich remembers the last command received. All circuits use either feedback or saturation to ensure that operation of the circuits is independent of transistor characteristics.

Telemetry: Audio tone measures 8channel parameter, sequentially switched 10 secs. per channel. The channels could be in this order—1, HI in Morse Code identification; 2, 3, 4, horizon sensors (5% field of view); 5, 6, internal and skin temperatures; 7, battery current drain; 8, battery voltage.

HI Keyer: Produces HI in Morse Code, 2 or 3 per 10 secs. Command Rx: Receives signals, and

produces an audio tone which is passed on to the-

Command Decoder which decodes the signal and switches h.f. transmitter on or off

The entire operation will be supervised by Project Australis, and not available to any Amateur. H.f. trans-mitter schedules will be published before the launch



STATEMENT ON PROJECT

Richard Tonkin, Owen Mace and Paul Dunn arrived back from the United States on Saturday, 17th June, after their trip to formally deliver the Australis Amateur satellite to Project Oscar.

Detail discussions were held with Project Oscar personnel. These dis-cussions covered the design and operation of the Australis Oscar satellite and also plans for a second Australis satel-lite carrying a repeater.

The design and construction of the The design and construction or the satellite was highly praised by all Oscar project officials. Some minor improvements in construction techniques will be considered prior to launching. If necessary one or two back-up modules will be constructed and sent to the United States. The package arrived in perfect con-dition and to the great amusement of those Americans and Australians pre-sent was found to be complete with "Made in Australia" labels and a large sign reading "God Save The Queen".

The satellite was thoroughly checked out in the Oscar laboratory and was found to be operating perfectly.

The hospitality of Project Oscar to the boys was most warm and friendly and thoroughly appreciated by them. They were afforded the opportunity to inspect a number of Aerospace Companies and facilities to observe first hand the latest satellite techniques which will undoubtedly assist in later Australis projects.

At this time, the date of launching is not known. However, it is expected that the announcement will be similar to those applying to previous Oscar launchings.

Adequate notice will be passed to all State co-ordinators.



THE AUSTRALIAN POST OFFICE HAS A VACANCY FOR AN

Instrument Maker

in its Research Laboratories.

SALARY

\$2538-\$2800. DUITIES

Interesting and varied work concerned with the construction, modification and repair of a wide range of scientific electrical and mechanical laboratory equipment.

LOCATION

The APO Research Laboratories are located in the Melbourne city area. QUALIFICATIONS

Qualifications in Instrument Making are required together with some experience with laboratory type instruments.

LEAVE Three weeks annual leave together with liberal sick leave and other benefits.

ENOURIES Mr. R. Jepson (Telephone 630-7975.

Business hours Mon.-Frl.).

APPLICATIONS

In writing, to - The Director-General, Posts and Telegraphs, Tressury Place, Melbourne, 3002, by 21st August, 1967.



Collins Radio Company's Low Cost

F455FA-21 MECHANICAL FILTERS

for Single Sideband Radio Equipment.

Popularity has accelerated production resulting in an even lower price of \$28.50 INC. SALES TAX.



Center frequency 455 KHz nominal Frequency response:

Bandwidth, 6 DB attenuation . . . 2.1 KHz nominal Bandwidth, 60 DB

attenuation 5.3 KHz maximum

Resonating capacity
including circuit 130 pf ± 5 pf

DC voltage: 300 vpc maximum potential between terminals and ground.

Source and load impedance 100,000 ohms

COLLINS RADIO CO. (A'ASIA) PTY. LTD. 327 Colline St., Melbourne. Tel.: 61 2626

COMMUNICATION/COMPUTATION/CONTROL



COLLINS RADIO COMPANY/DALLAS, TEXAS • CEDAR RAPIDS, IOWA • NEWPORT BEACH, CALIFORNIA • TORONTO, ONTARIO. Bangkok, Beirut, Frankfurt, Hong Kong, Kuala Lumpur, Los Angeles, London, Melbourne, Mexico City, New York, Peris, Rome, Washington, Wellington.

TRANSISTOR AMPLIFIER DESIGN

PART FIVE

R.F. POWER AMPLIFIERS

It is now possible to obtain transistors which are capable of producing up to several watts of r.f. power at frequencies into the u.h.f. region. Some transistors are capable of providing 30 or 40 watts of r.f. power up to 30 Mc. —at a price of course! Most transistors budget though the average Amsteurs*

The design procedure, especially for a.m., is somewhat different to tubes, but is not difficult and, once familiar with it, you should be able to complete a design fairly quickly.

In this article I will not cover s.s.b. and class A linears. This is not because I don't like s.s.b. (I do), it's just that I have not experimented with this particular type of amplifier.

The following design procedure will be for class B, zero bias, r.f. power amplifiers for the following reasons:—

(a) Ease of design (I'm lazy).
 (b) Less components necessary (I'm a miser).

(c) Greater power gain than class C (less drive power necessary).

(d) No need to provide or develop a reverse bias source.

So much for the bumpf—on with it. The first decision you will have to make is whether you want to build a cow, fine, or an an transmitter. Have been supported by the support of the suppo

The second decision you have to make is "which transistor will use?" You should obtain the characteristics (ask the manufacturers). Now pick the transistor(s) that will supply the rf. the characteristic will be used to the cha

C.W./F.M. DESIGN PROCEDURE 1. Vcc is determined from the following formula:—

 V_{cc} less than or equal to $\frac{B\ V_{cms}}{2}$

Vcc less than or equal to $\frac{\max V_{evo}}{2}$ where B Vcss is the collector-emitter breakdown voltage, and max. Vcso is the maximum allowable collector-emitter voltage. Vcc is less than or equal to the max. allowable collector '! Mary Street, North Balwayn, E.9, Vic.

voltage because the instantaneous collector voltage swings to twice V_{cc} on signal peaks.


2. Now the optimum collector load resistance is given by:—

Ro = Vcc* + (2 Pr)

where P_r is carrier power as decided above.

3. Now you have to match the col-

3. Now you resistance Ro to the output load Re (see Figs. la, lb, lc). The problem here is to take Co into consideration. At h.f. Co will, with most transistors, not be terribly significant. It may become a problem though at v.h.f.



Now Figs. 1s, 1b and 1c give circuits for the Pi, T and parallel lapped networks respectively. The Pl circuit is good where Co. is only very small or feed through sub-harmonics of the output frequency more so than the other networks. This may or may not chart the property of the proper

FIG. 1

A.M. DESIGN PROCEDURE 1. Voc can be determined from the

following formula:— V_{cc} less than or equal to $\frac{\mathbf{B} \ V_{css}}{4}$

 V_{cc} less than or equal to $\frac{max.\ V_{cso}}{4}$, V_{cc} is less than or equal to one quarter the maximum allowable collector-

R. L. HARRISON,* VK3ZRY

emitter voltage because the instantaneous collector voltage swings to four (4) times Vcc on modulation peaks (100% modulation).

2. Now the optimum collector load resistance (Re) is given by:—
Ro = (3 Vcc) + (4 Pt)
where Pt is unmodulated carrier power.

where P_f is unmodulated carrier power.

3. The matching net work is the same as for c.w./f.m. procedure (No. 3) and the same remarks apply.

To modulate the stage of final amplification (pa. to you) a number of techniques are available. They require whole articles in themselves and, for that reason, I suggest you read "73 Magazine"—Jan. 1965, page 12, and July 1966, page 58.

MATCHING NETWORKS

The Pi Network is shown in Fig. 1a. The equations for determining the reactances of the components are as follows:—

1.—

$$X_{C_1} = \frac{R_0}{Q_L} [1 + (\sqrt[4]{R_L + R_0})]$$

where R_L is load resistance (antenna?).

R_c is optimum collector load resistance.

Q_L is loaded Q of circuit. Practical values in the range 5 to 12.

The capacitance of C1 can be found from the nomograph on page 505 of the Amateur Radio Handbook by the R.S.G.B.

2.—
X_L equals approx. X_{C1}

The inductance (L) can also be found from the same graph in the R.S.G.B. Handbook.

 $X_{cz} = X_{cz} (\sqrt[4]{R_L + R_c})$ The value of C2 can also be found from the abovementioned nomograph.

The T Network is shown in Fig. 1b. In this circuit the loaded Q is increased by raising point Y above 1,000 ohms and then transforming down to the load impedance Rt. The reactances of the components can be found by using the following equations:—

(1) R_Y = R_C (Q_L² + 1)
where R_Y is the impedance at point Y.
R_C is the collector load resist-

Ro is the collector load resistance.

On is the loaded Q. Practical

values in the range 5 to 20.

(2) $X_1 = R_T + Q_L$ (3) $Q_2 = \sqrt[3]{R_T} + R_C$ (4) $X_2 = R_T + Q_L$ (5) $X_L = Q_1 R_C$ (6) $X_C = R_L + Q_L$

(6) Acs = RL + QL (7) Xcs = (X₁ × X₂) + (X₁ + X₃) The values of L. C2 and C1 ca

The values of L, C2 and C1 can be found from the previously mentioned nomograph.

nomograph.

The parallel tapped Network in Fig.
1c is a parallel tuned circuit with the
load tapped up the coil. The transistor

is capacitively coupled to the tuned circuit via C2. The coil L transforms R. to a higher resistance R. Now in practical circumstances the turns ratio

Thue (a) P.1 - 18 P.

(b) R.1 = 9 R.

Above 100 Mc. the equation in (b) equation in (a) should be used The reactances of the components can be calculated from the following

formulas: $X_{Ci} = R_L^i \div Q_L$ Q_L in range 5 to 15. (1)

(3)
$$X_{cs} = R_c \left(\sqrt[8]{R_b^4 + R_c} \right) - 1$$

The values of the components can again be taken from the R.S.G.B.

DRIVERS

The driver has to deliver a certain amount of power to the base of the p.a. transistor, and this drive power (P₁₈) can be found on the manufacturer's data sheet.

A number of graphs may be shown. There may be graphs showing rf. power output versus frequency for different values of P_{1a} at certain values of V_{0a}. Or a graph showing P_{est} versus P_{1a} for different values of V_{0a} at a specific frequency. By referring to the appropriate graphs the r.f. power needed to drive the amplifier (Pis) can be determined.

It will also be found necessary to match the driver to the p.a. base to achieve efficient power transfer. Keep in mind that these networks are not 100% efficient and allow for a reserve of power in the driver above that which is necessary to drive the n.a.

By referring to Figs. 2 and 3 it can be seen that the matching networks are similar to that in Fig. 1c.





The equations for determining the

The equations for determining the components in Fig. 2 are as follows:—

(a) $R_{\rm b}^{-1} = 16 \ R_{\rm is}$ or (b) $R_{\rm b}^{-1} = 9 \ R_{\rm is}$ where $R_{\rm b}^{-1}$ is the resistance across the coil, and R_{in} is the base spreading re-

The same remarks apply here sistan as before Now X .. - R.1 - Q.

Or in range 5 to 15. (2) Xr. = Xc

 $X_{CI} = R_{CD} \left(\sqrt[4]{R_L}^1 + R_{CD} \right) -$ where $R_{CD} = V_{CC}^2 \div 2 P_{IB}$ Note: Make sure driver transistor can

withstand 2 Voc. withstand 2 Vec. The equations for determining the components in Fig. 3 are as follows:—
(a) $R_c^{\dagger} = 16 R_{cp}$ or (b) $R_c^{\dagger} = 9 R_{cp}$

R_{cD} is the optimum collector load resistance of the driver, R_{cD} = V_{cc}, ÷

2 P. Now $X_{Ci} = R_L^1 \div Q_L$ Q in range 5 to 15

Y. - Ya (2) (3) $X_{cs} = R_{is} (\sqrt[4]{R_{i}^{1} + R_{is}}) - 1$ where Ris is the base spreading resistance (r. or h.) of the n.a. transistor.

PARALLEI, AND PUSH-PULL OPERATION output than one transistor will supply.

If you wish to achieve more power

then parallel or push-pull operation could be employed to double the output. Fig. 4 shows two transistors in a parallel configuration. The resistors in the emitters are to prevent one tran-sistor from "hogging" the current. The value of R_z would be in the range of 2 to 10 ohms. They should be adjusted each transistor is equal during actual operation.



I would recommend that the T net-work or the parallel tapped network be used in the collector circuit owing to the increase in Co. The same equations can be used to

calculate the components. In choosing your transistor remember that the power it should be capable of that the power it should be capable of providing ought to be a little greater than ½ Pr. Fig. 5 shows two transistors in a push-pull arrangement. Note the sim-

ilarity to tube circuits. L and C can narry to tube circuits. L and C can be found by judicious use of a g.d.o. and the link coupling to the drive should be adjusted for optimum output. Make sure that everything is quite symmetrical to ensure that both transistors receive equal drive.



CLASS C OPERATION

Class C operation can be achieved by putting a low value resistor in the emitter or base connections as shown in Figs. 6a and 6b. The drive required for class C is greater than that required for class B but class C efficiency is greater

The value of the resistor and the drive power are best juggled in prac-tice to achieve best efficiency and out-It appears to be a matter of individual adjustment even for different transistors of the same type in the same circuit. Note that the emitter resistor is in the order of tens of ohms and the hase him resistor is in the order of hundreds of ohms.


FREQUENCY MULTIPLIERS

Frequency multipliers are just an-other application of a class C amplifier. The tuned circuit in the collector should he tuned to a frequency two or three times the frequency being injected at the base. I would suggest that a frequency multiplier should not be used as a final owing to the presence of sub-harmonics in the output.

When using a frequency multiplier as a driver, it should be no more than a tripler as it is difficult to get suf-ficient drive owing to lowered efficiency. When frequency multiplying it is probably better and cheaper to use doublers throughout owing to greater efficiency and output.

CONCLUSION

Well that concludes this series of articles. I hope that they have created (Continued on Page 10)



"THE THING"-TRANSISTORISED

AN EXPERIMENTAL SIDEBAND EXCITER

PART FOUR

H AVING successfully completed the filter section, we now come to the easy part. What could be easier than a crystal oscillator followed by a balanced modulator? Nothing, or so

I thought!

It was first intended to use a common emitter oscillator (with the collector current set at 1.0 mA.) feeding into a

series type balanced modulator employing two germanium diodes.

Things went well at first, the oscillator worked straight off, even the customary reversal of the feedback winding was not needed. The balanced modulator reduced the carrier down to an almost undetectable level. All this was accomplished without catastrophic

was accomplished without catastrophic failure of transistors or temper.

Next, audio from the transistor of "squawk box" was fed into the balanced modulator. The station absorption wavemeter indicated r.f. output that appeared to vary in time with the broadcast band programme. Okay then,

the double sideband signal was then fed through the crystal filter.

Up till now, no troubles were evident, However, upon listening to the double that the control of the c

Not having an ear for this modern music, the broadcast receiver was then tuned to the A.B.C. and the "Pariliamentary Breadcast". The well modulented the provide ideal test signals, the provide ideal test signals, However, the gideband (?) signals still sounded the signals of the provide ideal of the provide ideal of the provide ideal of the provide ideal test signals, However, the gideband (?) signals still sounded with the provide ideal of the p

What a let down after the easy start, my old "Finnagle" really had caught me this time.

Well we couldn't let a little thing like this stop us, so . . . The first step in the investigation was to get out all available literature

and do some real heavy reading. What was the nigger in the woodpile? The balanced modulator circuit used was identical with that of several commercial manufacturers. If seemed as though I was caught in a cul-de-sac.

At last the light dawned being a

At last the light dawned, being a tube man from way back, I hadn't realised the importance of signal levels when using semiconductors. Going back to fundamentals nearly allways allows one to get to the bottom of things and such was the case this time. It appears that in a mixing (modulating) process that the carrier frequency level

*5 Don Street, Newtown, N.S.W.

should be at least (and preferably more) ten times that of the modulating frequency.


frequency to the c.p. and a session of measurements followed. It was soon found that the ratio of r.f. to audio level was far from satisfactory. In fact level was far from satisfactory. In fact cordingly a pad was introduced into the audio circuitry, thus achieving the abeliance of the satisfactory of the

disastrous results to passing pedestrians. Calming down somewhat, it was decided to have a look at the characteristic curves of all the semiconductor devices being used in this section of the K. A. KIMBERLEY,* VK2PY

away with the diode modulator in favour of a transistorised one.

Referring to the circuit, it will be noticed that the transistor bases are in push-pull for audio, the emitters parallel for r.f., whilst the collectors are in push-pull for r.f. The theory of operation goes something like this:

Bias is supplied by the rectification of the carrier, the positive half cycles causes base current to flow and consequently collector current. As the collicity of the collector current is the collector of the resulting signal should be cancelled to the resulting signal should be cancelled out. However, this is not strictly true as both transistors differ from one potential of the collector coll will overcome pot. in the emitter as well as bifilar winding the collector coll will overcome this problem. When push-pul modulationing the collector coll will overcome and as the cycle reverses its mate will take over. Thus modulation of the r.t. and as the cycle reverses its mate will take over. Thus modulation of the r.t. drop of coulse sideband being produced.



exciter. In this manner, it was discovered that germanium diodes need about 0.25 volt to start them conducting and about 1.0 volt to get them into the region of their characteristics suitable for satisfactory modulation.

Here was the trouble in a nutshell, not sufficient rf. Initially the rf. level at VK2FY was about 0.3v. p.p., accordingly more turns were added to the ready more turns were added to the coil. Yes you guessed it, the extra damping pulled the oscillator out of oscillation. Ach so, the operating conditions of the oscillator were changed at about 10 mA, thus producing about 30v. p.p. of r.V.

The resulting sideband signals were vastly improved, but were still not good enough.

Rather than instal a higher powered transistor with a much higher collector current rating, it was decided to do

The balancing pot, obviates the necessity of using closely matched transistors in the balanced modulator, however they should not be too different.

The change to the transistorised balanced modulator produced very good signals except that the level was embarrassingly high for the crystal filter and its associated amplifiers. A 1K A curve carbon pot. across the output soon cleared up this problem.

For those Amateurs who have a felish for getting the last ounce of carrier suppression, it is recommended that the carrier be moved about 300 or 400 cycles so that it falls further down the passband curve of the crystal once the control of the control of the crystal once be desirable to curtail the low frequency response of the modulator as

described next.
The audio section needs little explan-

ation. Originally a pre-amp. was used in front of the OC72. However this has





Close Tolerance Gold Plated Crystals for Amateur Applications

Amateur Net (each includ Tay) → 18 Mc to 14,999 Mc. . ± 0.005%. In Style "D" Holders, 1/2" pin spacing €A 85

\$5.05 + 15 0 Mc to 47 999 Mc ± 0.005% In Style "D" Holders, 1/4" pin spacing \$5.65 + 48 0 Mc to 61 0 Mc + 0.005% In Style "D" Holders 1/4" nin specing

→ 100 0 Kc ± 0.005%, In Style HC13/U Hold., 1/2" pin spacing \$0 nn

\$9.00 + 10 Mc . ± 0.005%. In Style "D" Holders, 1/2" pin spacing Many other types and tolerances are available from our standard production.

Send for our illustrated Catalogue "Quartz Crystal Unit". Post Free.

MANUEACTURED BY

PYE PTY, LTD.

CRYSTAL DIVISION

Melbourne: P.O. Box 105. Clayton Palabanas Sydney: Adelaide: Perth: Hobart: Canherra

97 Merivale St., Sth. Bris. 59 Arundel St., Forest Lodge I Ifould St., Adelaide 151-155 Brisbane St., Perth 141 Murray St., Hobart P.O. Box 766

Phone 544-0361 4-1571 68-4111 23-3979 28-4338 3-3707 49-6677

FOSTER DYNAMIC MICROPHONES

SPECIFICATIONS:

50 ohms or 50K ohms Output Impedance Effective output level -55 db, [0 db, - (one) 1V, Microbar] Freuency response

Plastic Diaphragm. Size: 41/2" long, 11/4" diameter.

A QUALITY PRODUCT FOR TAPE RECORDERS & P.A. LISERS







Marketed by ZEPHYR PRODUCTS PTY, LTD. 70 RATESFORD STREET, CHADSTONE, VIC., 3148

Manufacturers of Radio and Electrical Equipment and Components

Agents: D. K. Northover & Co.: Neil Muller Ltd.; Homecrafts (Tas.) P/L.; Jacoby, Mitchell & Co. P/L.; T. H. Martin P/L

since been found to be superfluous as sufficient audio was obtained when the microphone circuitry was fed directly into the base of the OC72.

into the base of the OCT2. Once of the This low frequency reports of the This low frequency for the International Control of the Int

signals generated, the lower the chance of spurious signals being radiated from

the finished ris.

As this is an experimental (bread board) set-up, not much time was spent must be pointed out to the constructor that the heterodyning oscillator is extremely important and great care should receive the constructor that the heterodyning oscillator is extremely important and great care should receive the constructor that the heterodyning the constructor of the constructor that the heterodyning described is intended to be developed into a transactive rand as such will transmit on the receiving for-mitter stability will only be as good

lector circuit of the phase splitter. The exact value of the collector tuning capacitors are not important but should be within 1% of each other. 125 volt styroseals have been found satisfactory, both in respect of their smallness as well as stability will be given for 80 metres only. For 160 metres double the caponly. For 160 metres double the cap

Coil data will be given for 80 metres only. For 160 metres double the capactior values and increase the inductance as required, whilst for 40 metres half the capacitor and reduce the inductance. The use of adjustable irron cored (or ferramic) coils makes this easy.

POWER SUPPLY

Up till now all experiments have been carried out using a dry battery as a power source. However there is a distressing tendency to leave the battery usually happens when things are not going "according to Hoyle". When one gets back onto the job, sometime weeks later, the poor old battery is deader than the proverbial "Do Do".

Having just done in the third battery in six months, it was decided to build a power pack. A suitable circuit is to be found in the "Mullard Voltage Regulator (Zener) Diode" Handbook, which is available from Mullards at a

very reasonable price.


The following abstract has been taken from the above mentioned publication.

"The power supply above was denormally used when a variety of transistor circuits requiring different voltages are handled in a workshop or adjustable from 0 to 15v. at 0.5a, thus
covering most transistor circuit requirements. Although not fully stabilized,
for most uses, its output resistance
being about 0.4 ohm. The supply can
be finely adjusted to any voltage within
accidental short-circuit provided that

the transformer secondary can supply 2.5 amp.

"The voltage across the centre tapped secondary winding of the transformer is rectified to give two supply lines. One supply line is negative, V1, and the other positive, V2, with respect to the centre tapping.

to the centre tapping.
"The negative line supplies only the voltage regulator diodes, D5 and D6, via resistors R2, R3 and R5. When the current through D5 and D6 is 10 mA.,



BAND SET TRIMMER (AIR)

MATCHED PAIR. EXACT VALUE NOT CRITICAL. NON.270 F.
ALL RESISTORS 1/2 20%, CARBON. ALL 0-1 UF CAPACITORS DUCON REDCAPS, OTHER CAPS, AS MARKED

The use of a low value emitter by pass capacitor results in degeneration, and thus loss of gain, which varies inversely with the frequency. The 0.047 uF. capacitor across the primary of the audio transformer limits the high freshowever its use and or size is a matter of personal preference.

The foregoing completes the description of the sideband generation and the next step is to heterodyne this signal up to the Ham bands.

HETERODYNING SECTION
Preliminary work here suggested similar troubles might occur as were encountered in the low frequency balanced modulator. Accordingly plans for a single ended type mixer were abandoned. Diode mixers were not even considered.


The balanced push-pull configuration worked so well in the low frequency balanced modulator, that it was decided to use it in the heterodyning section. In the push-pull, when fed into the balanced signal to be balanced, i.e. upsh-pull, when fed into the balanced mixer. Not wishing to disturb the out-push-pull, when fed into the balanced a rewind job, it was decided to add a phase splitter between the filter and phase splitter between the filter and the bases of the transistors in the

the bases of the transistors in the balanced mixer.

The use of a balanced type of mixer prevents the heterodyning oscillator signal from appearing at the output of the mixer. It will readily be understood that the less of these undesired The receiver dial should be accurately calibrated so as to avoid out of band transmissions.

The use of a buffer amplifier after your favourite oscillator circuit provides necessary isolation as well as more drive to the emitters of the balanced mixer. The operation of the mixer is identical with that of the balanced modulator described estriber will not be discussed at length.

The main requirement seems to be that plenty of r.f. drive to the parallel connected emitters is required. The rough balancing out of the heterodyne oscillator is via the pot, whilst final balance is achieved by the careful adjustment of the trimmer wired to the base transistor fed from the col-



the voltage across them is about 16v. By means of the output voltage control potentiometer, R6, this voltage or part of it is connected to the base of TR1. "The positive line supplies the out-put via the series transistor TR2, which is connected in cascade with TR1 to form a compound emitter follower. Hence, the output voltage at the emitter

of TR2 closely follows that at the base of TR1 and is controlled by means of "Diode D7 is shown connected acros the output to prevent damage which would be caused by connecting a re-

The diode may be omitted where this danger does not exist. "Should the output terminals be short-

"Should the output terminals be short-circuited, transistor TR2 bottoms. The short-circuit current, however, is lim-ited to just over 2a. by resistor R4 which, therefore, protects TR2. Re-sistor R4 has a value of approximately 7 ohms and dissipates nearly 40w. when

7 ohms and dissipates nearly 40w. when a short-circuit occurs. "At low output voltages the power dissipation of TR2 approaches 10w.; therefore, the transistor should be

therefore, the transistor should be mounted on a heat sink having a ther-mal resistance of less than 2.5°C./W."

This about brings the story to an end. A lot of practical experience has been gained as well as some slight knowledge of semiconductors. Transistors now are cheaper than tubes and require little power for operation in low level applications. Semiconductors should, as a matter of principle, be used in all new equipment. The author, even though he uses them at his place of employment, has strenuously resist-ed the use of transistors in his own gear, but has at long last been con-verted. As mentioned previously, all transistors with the exception of the transistors with the exception of the OC72 modulator, were similar to the OC45 series. The actual type used at VK2PY were Ducon SFT107s. OC45 should be interchangeable with the SFT107, however the base bias resistor than the December of t network may need slight adjustment.

Increasing the bottom resistor results in a larger collector current. This resistor is adjusted to give the following results:-

Crystal oscillator 10 mA. Balanced modulator .. self adjusting Filter 1 amp. 1.8 mA. Filter 2 amp. 1.5 mA. Phase splitter 0.6 mA. Buffer amp. 3.0 mA. Balanced mixer self adjusting

COIL DATA

Oscillator coil, T7:-

Primary 75 turns No. 30 enamel covered wire; collector tap, 15 turns from battery end. Feedback, 12 turns No. 30 enamel covered wire.

Output, 20 turns No. 30 enamel covered wire.

All windings are layer wound on a ucon "Ferramic" Toroid Type Q1 Ducon F4040/2 with the primary nearest the

Note: This same coil is used in the test oscillator described earlier. If the test oscillator is not T9, then add series resistance or capacity to the feedback circuit until the note clears up. Balanced modulator coil, T8:-

Primary, 37 plus 37 bifilar wound, using No. 36 posyn covered copper wire.

Secondary, 6 turns wound over primary, same wire. This transformer is wound on a Ducon

Heterodyne osc. coil, T9 (80 mx only): The inductance needed will depend somewhat on the circuit used as well as the capacity, both fixed and tune-able. I used a inch diameter air core ceramic former. The number of turns were primary 50 and the secondary 6 turns of No. 30 gauge enamel copper

miniature i.f. assembly.

Buffer amp. coil, T10 (for 80 mx Primary 40 turns of 42 gauge posyn

covered copper wire with collec-tor tap at 20. Secondary 10 turns wound over the primary.

Wound on miniature Ducon Oscillator Coil Assembly Q1.

Balanced mixer coil, T11 (for 80 mx only):

y):
Primary, 20 plus 20 turns bifilar
wound, using No. 42 gauge posyn
covered copper wire.
Secondary, 4 turns wound over
primary. Former as for T10.

Note: The exact coverage required of T9 and T10 will depend upon the filter and will be equal to the band edges minus the crystal filter (or mechanical) frequency.

FINAL FINAL

After these notes had been written two excellent articles dealing with transistor oscillators have been published in local journals, i.e. the October issues of both "A.R." and "Radio and Hobbies".

ILLEGAL TRANSMISSION

Standby. I'm up on that soap box again. This time to record a case of illegal transmission, downright disillegal transmission, downright dis-courtesy and utter selfishness. A rela-tive newcomer to the band had the "audacity" to fire up on a.m. on 20 metres, calling CQ. Up popped a voice, "We don't want a.m. on this band". No call sign.

I am not trying to "knock" sideband, it is a great technical advancement and here to stay for sure. However, I am speaking for a bit of common courtesy and some small measure of respect for the rights and feelings of others. Since when has not there been room for all modes on this and other bands? There may be circumstances which necessitate the use of humble gear. Why then should the state of a man's bank balance deny him the right to operate on any band, provided he operates within regulations?

While most operators are gentlemen,

there is an uncomfortably large numthere is an uncomfortably large num-ber of jackalls hiding 'neath the guise of Amateur operators. Fair go, Aussie— let's try and keep 20 metres as a happy hunting ground, not let it sink to the level of a "pig's paradise". -Extract from VK6DA's notes, this issue.

TRANS. AMPLIFIER DESIGN (Continued from Page 6)

an interest in the design and use of transistor amplifiers in Amateur equipment.

Think over your next project, can you transistorise it? Don't just "lift" circuits—design them. It's not difficult, don't let the equations fool you. Many of them are as simple as Ohm's Law equations (many of them are Ohm's Law equations). You don't have to own a slide rule or possess a communications engineering diploma. Just sit down and carefully follow the procedures—check your results, and there's your design.

Now go to it—and the best of British

REFERENCES "Transistor Circuit Design," Texas Instruments.
"The Amateur Radio Handbook," R.S.G.B.
"A Magazine," January 1865, page 13.
August 1853, page 24.
December 1895, page 26.
July 1895, page 26.
August 1896, page 29.
August 1896, page 29.

luck to you.

WIRELESS INSTITUTE OF AUSTRALIA FEDERAL EXECUTIVE

The Institute can now offer annual subscriptions to the following Amateur Journals:-★ "OST"—Associate membership and renewals, \$6.40.

- * R.S.G.B.-"The Bulletin" is only sent with membership of the
- Society. Send for application form and FREE sample copy of the R.S.G.B. "Bulletin." \$6.25.
- ★ "CQ" Magazine, \$5.20.
- ★ "73" Magazine, \$4.50.

R.S.G.B. Publications and A.R.R.L. Publications available.

Send remittance to Federal Executive, C/o. P.O. Box 36, East Melbourne, Vic., 3002.

VK-ZL-OCEANIA DX CONTEST, 1967

W.I.A. and N.Z.A.R.T., the National Amateur Radio Associations in Australia and New Zealand, invite world-wide participation in this year's VK-ZL-Oceania DX Contest,

Objects: For the "world" to contact VK, ZL and Oceania stations and vice versa. Note: VK and ZL stations, irre-spective of their locations, do not contact each other for Contest purposes. Dates: Phone: 24 hours from 1000 GMT on Saturday, 7th October, 1967, to 1000 GMT on Sunday, 8th October,

C.w.: 24 hours from 1000 GMT on Saturday, 14th October, 1967, to 1000 GMT on Sunday, 15th October, 1967. RULES

tions to the Contest:-

- 1. There shall be three main sec-(a) Transmitting—phone.(b) Transmitting—c.w.
 - (c) Receiving phone and c.w. combined
- 2. The Contest is open to all licensed Amateur transmitting stations in any part of the world. No prior entry need he made.

Mobile Marine or other non-land based stations are not permitted to

3. All Amateur frequency bands may be used, but no cross-band operation is permitted.

4. Phone will be used during the first week-end and c.w. during the second week-end. Stations entering both sections must submit separate logs for each mode.

Only one contact per band is permitted with any one station for scoring purposes.

 Only one licensed Amateur is permitted to operate any one station under the Owner's call sign. Should two or more operate any particular station, each will be considered a competitor and must submit a separate log under his own call sign. (This is not applicable to overseas competitors.)

7. Entrants must operate within the terms of their licences.

 Cyphers: Before points can be claimed for contact, serial numbers must be exchanged and acknowledged. The serial number of five or six figures will be made up of the RS (telephony) or RST (telegraphy) report plus three figures which may begin with any number between 001 and 100 for the first contact and which will increase in value by one for each successive contact.

Example, if the number chosen for the first contact is 021, then the second must be 022 followed by 023, 024, etc. After reaching 999, start again from 001.

9. Scoring:

(a) For Oceania stations other than VK-ZL, 2 points for each contact on a specific band with VK-ZL stations; point for each contact on a specific band with the rest of the world.

(b) For the rest of the world other than VK-ZL, 2 points for each contact on a specific band with VK-ZL stations; 1 point for each contact on a specific band with Oceania stations other than

(c) For VK-ZL stations, 5 points for each contact on a specific band and, in addition, for each new country worked on that band, bonus points on the following scale will be added:-

1st contact 50 points 40 2nd " 20 4th

For this purpose the A.A.A.L. sceptries List will be used with the exception that each call area of W/K, JA and UA will count as "countries" scoring purposes as indicated above.

(i) Overseas Stations:

(a) Logs to show in this order—date, time in GMT, call sign of station contacted, band, serial number sent, serial number received, points. Underline each new VK/ZL call area contacted. A separate log for each band must be submitted

(b) Summary Sheet to show the call sign, name and address (block letters), details of station, and, for each band, QSO points for that band, VK/ZL call areas worked on that band.

"All-band" score will be total QSO "All-band" score will be total QSO
points multiplied by sum of VK/ZL
call areas on all bands, while "single
band" scores will be that band QSO
points multiplied by VK/ZL call areas worked on that band.

(ii) VK/ZL stations:

(a) Logs must show in this orderdate, time in GMT, call sign of station worked, band, serial number sent, serial number received, contact points, bonus points. Use a separate log for each hand.

(b) Summary to show—name and address (in block letters), call sign, score for each band by adding contact and bonus points for that band, and "all-band" score by adding the band scores together; details of station and declaration that all rules and regulations have been observed.

11. The right is reserved to disqualify any entrant who, during the Contest has not strictly observed regulations or who has consistently departed from the accepted code of operating ethics. The ruling of Federal Contest Manager W.I.A. will be final.

13. Awards:

VK/ZL stations: W.I.A. will award certificates as follows:

(1) To the top scorer on each band irrespective of single band or multi-band operation and irrespective of call area, i.e. a maximum of five awards may be made for VK and ZL.

(2) To the top scorer in each VK and ZL call district, i.e. a maximum of 14 awards, 10 VK and 4 ZL awards may be made.

To be eligible for awards in either of the above mentioned categories an operator must obtain at least 1000 points or there must be at least three competing entries in the category.

Overseas Stations: Certificates will be awarded to each country (call areas in W/K, JA and UA) on the following basis:

(1) Top scorer using "all bands" provided that at least three entries are received from the "country" or the contestant has scored 500 points or more

(2) Other certificates may be awarded, to be determined by conditions and

N.B.: There are separate awards for c.w. and phone.

14. Entries: All entries should be posted to Federal Contest Manager, W.I.A., Box N1002, G.P.O., Perth, Western Australia. VK/ZL entries to be received by 16th December, 1967. Overseas entries to be received by 20th January, 1968.

RECEIVING SECTION 1. The rules are the same as for

the transmitting section, but it is open to all members of any S.w.l. Society in the world. No transmitting station is permitted to enter this section. 2. The Contest times and logging of

stations on each band per week-end are as for that transmitting section except that the same station may be logged twice on any one band-once on phone and once on c.w.

follows: date, time in GMT, call of station heard, serial number sent by the station heard, band, points claimed Scoring is on the same basis as for transmitting section and the summary should be similarly set out with the addition of the name of the S.w.l. Society in which membership is held.

 Overseas stations may log only VK/ZL stations but VK receiving stations may log overseas stations and ZL stations, while ZL receiving stations may log overseas stations and VK sta-Certificates will be awarded to

the top scorer in each overseas scoring area and in each VK/ZL call area provided that at least three entries are received from that area or that the contestant has scored 500 points or more

*

CONTEST CALENDAR

12th/13th August: Remembrance Day Contest. 12th/13th August: 13th W.A.E. DX Contest (c.w. 13th/13th August: 13th WA.E. DX Contest (e.w. 80h/10th September: 13th W.A.E. DX Contest Tu/, with (about section).

10h/10th September: 13th W.A.E. DX Contest Tu/, with Contest Section).

10th/10th October: VK.Z.L-Oceania DX Contest 10th/10th October: VK.Z.L-Oceania DX Contest 10th/10th October: VK.Z.L-Oceania DX Contest 10th/10th October: R.S.G.B. 12th 80th Celebrary Contest.

10th/10th October: R.S.G.B. 7 Mc. DX Contest 10th/10th Newember: R.S.G.B. 7 Mc. DX Contest (c.w. section).

TUNABLE I.F. FOR CONVERTERS

R. A. ISAAC,* VK2ZAI

HERE is an inexpensive eight-valve receiver designed primarily for prove interesting to Youth Radio Chubs and beginners. A feature of the receiver is bandspreading the first megacycle over half the tuning range (an advantage with any Ham band).

TUNING

The range covered is 6 to 10 Mc. Bandspreading (6 to 7 Mc.) is achieved by inserting fixed condensers in series with each gang and the coils. In my case 100 pF. S.M. with coll data shown. The tuning condenser used is a minature by Mullard, found in battery

The tuning condenser used is a miniature by Mullard, found in battery portables with the shut eye over the dial (on/off switch). Any miniature unit with the same capacitance should be suitable.

VALVES

The valve line-up is as follows: R.f. amp., mixer and osc., 6AK5; i.f. amp., 6BA6; det., half 12AT7; S meter, half 12AT7; noise limiter, 6AL5; audio, 12AU7 and 6M5.

and the lead as short as possible. It might be found necessary to place a shield on the underside of chassis in front of the back-to-back i.f. transformers. This is to stop r.f. pick-up from the oscillator.

I.F. AMPLIFIER

Back-to-back i.f's from the mixer on 45 kc. can be lightly coupled, say 2 pF., to give an increase in selectivity. I used a 10 pF. as there was a slight less of gip.

l used a lib pr. as diete was a assisted a lib so from "Matters An idea borrowed from "Matters Mobile," "A.R." 1962, is an oscillating if, valve to act as b.f.o. At 7 Mc. s.s.b. signals can be resolved quite easily with

this arrangement.
Just before oscillation takes place
with this control, sensitivity and selectivity increase without altering the
passband of the amplifier.

NOISE LIMITER

Here again the circuitry was taken from "M/M" and can be made to operate well without too much trouble. All audio leads should be in shielded cable here! and save on XSLs, try a 7868. This should bring the band edge on both bands close to 6 Mc. This had one disadvantage. A strong oscillation appeared just inside the band on 6 mx. So I moved up to 71.2 Mc. or 52 Mc. with now appeared about 50 or so kilocycles below 52 Mc. Another one came up about 53.3 Mc., but it does not bother me. Others may have more success.

CIRCUIT DIAGRAM FOR THE TUNABLE I.F. IS ON OPPOSITE PAGE

Two metres with a XSL converter is nopeless at this QTH. Channel 5A cross modulates everything, SS-9 right across the 4 Mc. So I have built up a tunable converter with good results so far. I forgot to mention that Channel 5A is a line-of-site here, about 12 miles as the crow files, so I cop the peak 200 kW.

Getting back to the secolver, the power supply is conventional, using OA210 diodde (space saver). Talking OA210 diodde (space saver). Talking of space, the receiver measures in the same of the same

COILS

The coil formers come from disposal gear. A battery transceiver using big old fashioned 2v. filament valves (don't ask me the type number of the gear). See Fig. 2 for dimensions.




The r.f. and mixer coil data: 20 turns 26 gauge, c/w. Coupling coil, 5 turns fine interwound, same direction. Oscillator coil, 18 turns 26 gauge c/w. Five turns fine, 1/16 inch spacing.

There is a disadvantage with this former, mounting them upside down as I did. The top plate hides the colls. So fix these, frequency wise, before applying coll cement, etc.

Details in Fig. 2 should enable those who want to duplicate this former. Everything else should be straight forward in constructing this receiver.

One last thought I would like to hear from some who attempt this project. Let's know what results you obtain.



Agai one ex so in v

article in a back issue of "A.R." describing the conversion of a SCR522 to f.m.

If care is taken with the shield across

the GAKS r.f. scoles and the aerial connection run in coax, no troubles should arise here. A grid condenser of 200 pF, was inserted to increase the Q of the coil as this was found too broad for ny liking. A.v.c. was not applied to the r.f. or mixer although this could be an advantage!

If one follows the lay-out in the r.f. section, it should be able to be made neat and compact (see Fig. 1).

The mixer is basically the same as r.f. except that the 1 pF. coupling condenser should be at the oscillator socket *628 North Clife Drive, Berkeley, M.S.W.

This leads us to the next question— PERFORMANCE

By courtesy of Mr. Noel Boyd, of Keire Street, Wollongong, I was able to obtain these figures. Sensitivity—

one exception. I did not have a 6BM8 so in went a 6M5. This gives me ample

obtain these figures. Sensitivity—

0.63 uV. for 50 mW. at 10 Mc.

0.31 uV. for 50 mW. at 7 Mc.

0.45 uV. for 50 mW. at 6.05 Mc.

Signal to noise ratio: 17 db at 7 Mc. A word here about the converters. I built a "R.T. & H." 6 mx XSL and tried two different frequencies. If you want to use a 2 mx converter as well

HANDICAPPED INC.

Club Should Be Formed in Australia Take a good look at this photograph of Jim Watts, VE4VJ, of 137 Cordova Street, Winnipeg, Canada, who is a cerebral palsy sufferer (spastic). There,

but for the benelovence of Providence,

but for the benefovence of Provincince, goes you.

Robin L. Harwood, S.w.l. WIA-L7022, wrote in May "A.R." that a national club should be created for the "Shutins" (presumably correctly constituted). Ins" (presumably correctly constituted).

Such a grand move would enhance
Amateur Radio's public relations immeasurably. Those at a later date who
read Amateur Radio's history in VK will see at this point of time that we are doing almost nothing in an organised manner for the countless thousands of "Shut-ins" over Australia. Will anyone dispute that this is to our shame. (The U.S.A. has several groups of clubs. One of the best known being the Pro-fessional Loafers' Club.)

A nationally founded organisation

(call it Handicapped Inc., if you like) would need a considerable number of self sacrificial workers, whose hearts are primarily filled with charity and compassion (uncommon ingredients in today's egocentric world). Are we not big enough to meet this challenge and take Amateur Radio into a new field— that of the humanities? Times are changing fast and Amateur Radio needs

Looked at from the handicapped person's point of view, can you imagine what enjoyment S.w.l'ing or Amateur Radio is to the "Shut-ins"? You can't. because you are not in his shoes. The



indulgences of your daily life are filled with emotions and pleasures that he in a large part is forever denied.

Australia has a fast growing number of para and quadraplegics, besides the sufferers of multiple sclerosis, cerebral palsy and the like, not to mention the pensioners. All these, who are inter-ested, would eagerly accept help in S.w.l'ing and tuition for a ticket. It is possible that the P.M.G. might extend special privileges in some cases. The machinery to set all this in motion is possible. As it is now, the average "Shut-in" must depend on the fraternalness of some nearby Ham for his Amateur Radio interest

If on reading this, you are inclined to cynicism and feel that the ideals set out are not practicable, either inside the W.I.A. framework or out of it, let me point out that it is this lack of out-look and imagination that is the prime cause of apathy in Amateur Radio today


-Al Shawsmith, VK4SS.

LOG BO

IS NOW AVAILABLE

Larger, spiral-bound pages with more writing space. Price 75c each including Postage

Obtainable from your Divisional Secretary, or W.I.A., P.O. Box 36, East Melbourne, C.2, Victoria,





PRINTED CIRCUIT COMPONENTS

 COPPER BACKED MATRIX BOARD
 ALSO PLAIN COPPER BACKED BOARD

 Size: 3" x 3" 58c 6" x 6" \$1.75 9" x 9" \$1.75 9" x 6" 48c 9" x 9" 48c 9" x 2" 48c 9" x 2" 48c 9" x 2" 48c

Plus S.T. 121/2%. Plus Pack and Post 5c.

PROCESS KIT

Contains: Ferric Chloride, Bituminous Paint, Resin, and Instructions.

68¢ Plus S.T. 121/2%. Plus Pack and Post 10c.

IMPORTED ROSENTHAL HIGH STABILITY RESISTORS

1 WATT RATING

15 ohms to 8.2 megohms ± 1%.
11 megohms to 30 megohms ± 2%.
18c each plus S.T. 12½%.

Write or call for lists of sizes available.

SPEAKER TRANSFORMERS

E TYPE. 5,000 or 7,000 ohms to 3.5 ohms.

\$1 plus S.T. 25%. Pack and Post 15c.

AUDIO AMPLIFIER MODULES

Four-Transistor: 1 watt output. High Impedance input: 100K ohms. Low Impedance input: 1K ohms. Output Impedance: 4, 8 or 16 ohms. Power source: 6 volts. Gain: 70 db

Gain: 70 db. Size of board: 41/2" x 2" approx.

Supplied with circuit and wiring instructions.

\$7.50 plus S.T. 121/2%. Pack and Post 20c.

VIBRATORS

V6804: 4 volt, split reed, synchronous.

\$1 plus S.T. 25%. Plus Pack and Post 15c.

V6632: 32 volt, dual interrupter, non-synchronous.

\$1 plus S.T. 25%. Plus Pack and Post 15c.

HOOK-UP WIRE

P.V.C. 5/010. 200-yard reels. Green or Yellow.

\$2.40 reel plus S.T. 25%. Pack and Post 20c.

POWER SUPPLY BASIC KITS

 For supplying 9 or 12 volts D.C. at 500 mA. Comprising A & R Transformer, Contact Cooled Rectifier, and 1000/15 Filter Capacitor.

\$3.00 including S.T. and Postage.

 To give 250 volts D.C. at 60 mA. and 6.3 volts A.C. at 2 amperes. Comprising A & R Transformer, Contact Cooled Rectifier, 50 plus 50/350 Filter Capacitor.

\$5.50 including S.T. and Postage.

WF) WARBURTON FRANKI

220 PARK ST. SOUTH MELB., VIC. PHONE 69-0151



OPEN SAT. MORNING

Please include postage or freight with all orders

WHAT IS AMATEUR RADIO?

JOHN BATTRICK,* VK3OR, FEDERAL SECRETARY W.I.A.

O^F course we all know the answer to this! But do they all? "They" being the countries which did not appear to warrant placing in the "for us" column (if you did last month's bornework).

mount is the benefit to them in allowing an allocation of the frequency spectrum to a hobby? Place yourself in the position of an administrator of an administrator of an interest of the section of an administrator of an interest of the frequency spectrum is already carved up and allocated. There is already carved up and allocation services. The section is allocations of the communication services for your communication services. Allocations, but can you afford the luxury of supporting "ham radio" in other countries (and your own) at the expression of the services?

The answer to that question, and the attitude in those countries, is one of the vital things affecting Amateur Radio both here and all over. It would be fair to state that Australia is "Amateur-oriented"—we have over 5,000 licensed Amateurs, activity is widespread and sophisticated, in fact if you spread and sophisticated, in fact if you for the perators in the AMATEUI SERVICE.

This, I believe, is the image that Amateur Radio must project within this country and more importantly, in the developing countries; the image of a SERVICE, not just a "hobby"!

Perhaps then we can take our place alongside other radio services in the spectrum allocations. With all the righteous indignation and all the protestation of our "rights" we can muster we cannot expect to retain valuable spectrum space unless it can be demonstrated that a country can benefit from the property of the property of the probed demonstrated especially to the newer nations who you at I.T.U.!

nations who vote at I.T.U.!

It is with this philosophy as background I would like to refer to a 110 page research report, published by the Stanford Research Institute in U.S.A. entitled:—

"Amateur Radio: An International Resource for Technological, Economic and Sociological Development."

- This was commissioned by A.R.R.L. and the objectives of the research were: 1. To develop information relating to the technological, economic, and sociological contributions of the
 - Amateur Radio Service to the national welfare. 2. To examine and assess the position of the Amateur Radio Service in
- of the Amateur Radio Service in relation to other vital radio services.
- * P.O. Box 365, Frankston, Vic.

- To present the information in a form suitable for dissemination primarily to;
 - (a) Telecommunications officials of other nations and their delegations to international
 - radio conferences.
 (b) Telecommunications officials of the United States and its delegations to international
 - radio conferences.
 (c) Officials of the A.R.R.L.

(This research did not include any attempt to rank the relative values of the services contending for spectrum space. Rather, it attempted to examine the performance of the Amateur Radio Service in the United States and elsewhere in the light of its stated purposes.)

The Institute project team examined the Amateur Radio Service in terms of its ability to contribute to a nation's welfare in three broad categories:

- Technological.—As an actual and potential resource for the development and maintenance of a nation's scientific, engineering and technically trained manpower.
- nically trained manpower.

 2. Economic.—Its impact, both direct and indirect, on a nation's econ-
- Sociological.—Its impact on a nation's sociological structure, including its value as a cogent and credible projector of a nation's image abroad and as a contributor to international goodwill.

The report contains over 100 pages of detailed findings and includes tables, charts, diagrams, etc. (A copy has been by Federal Executive.) In June "QST" the summary which appears, on pages the summary which appears, on pages indicating the history of frequency allocations to the Amateur Radio Service 1912-1965. This indicates clearly by other users for space, some of the original Amateur assignments have required increasingly to share parts or required increasingly to share parts or all of some of the bands with other services in all the regions of the world. and the state of the st

Today Amateurs have access to a total of 3,500 Kc. in six bands between 1,500 Kc. and 29.7 Mc. However, only While a relatively large amount of spectrum space in the region above 120 Mc. was allocated exclusively to the conference, virtually all of the exclusivity was windrawn 12 years later at the 193 T. Di. Cheen care and d. Free Amateur Service may have permanently lost an opportunity to refain exclusive wave bands since radiolocation and

other services established themselves more rapidly and were therefore in a strong position to achieve primary allocation.

One thing is apparent: further reductions or even relatively modest changes in spectrum allocations at future radio conferences are likely to result in the reduction or loss of many of the vital functions that are now performed by Radio Amateurs and could change the nature of the Amateur Service permanentity!

Both broad-scale innovation and investment could be discouraged, because the effort to overcome new constraints caused by reduction of spectrum space, has become increasingly costly. Thus it appears that a long term net loss to all nations might result, rather than any hoped-for improvement in benefits received for spectrum space invested in other services.

The S.R.I. Report concludes in summary: "The information developed in this study leads to the conclusion that the Amateur Radio Service is a national and international resource whose curtailment would constitute a serious loss to the technological, economic, and sociological welfare of all nations. Its status as a non-profit, voluntary public service organisation suits it uniquely to its primary purpose, to serve the public interests in the countries in which it operates. But of equal importance is the effect of the service as a stimulus to economic growth. In addition to the economic stimulus resulting from the equipment, the service has indirectly influenced economic development, as equipment and techniques developed for Amateurs have been adapted for commercial and governmental uses. Radio Amateurs have also played a significant role in the development of the state of the radio art, and, even with the advanced stage of current technology, they are continuing to make major contributions both to basic radio theory and to practical applications

"Importantly, the costs of the services rendered by Raido Amateurs are borne by the Amateurs themselves, without fact, in combination with the professional quality of the technical expertise of Raido Amateurs and the impetus to results from their activities, makes the Amateur Service an especially desirable adjunct to the communications plants of the Combination of the Combination of the Combination of Special Combination of Special

The following is a listing of specific contributions made by the Amateut Radio Service. Although the contributions are closely interrelated, they are grouped according to the category of their primary influence.

TECHNOLOGICAL.

Constitutes a source of new tech-

niques and new technology in commun-Page 15 ications and electronics and stimulates the development of these in other fields.

 Provides a broad base for experi-mental test of theoretical predictions and for participation in large scale investigation in a variety of scientific

 Provides a medium for self-train-ing in, and improvement of, communications and electronics skills.

· Provides a medium for rapid and widespread exchange of communica-tions, electronics, and other special knowledge and techniques.

ECONOMIC

· Advances the economy through the manufacture and sales of Amateur Radio equipment.

 Advances the economy indirectly through extension of Amateur Radio and related equipment into the profesconsumer, and government eional markets · Provides a source of trained man-

power and impetus for an expanding communications and electronics manufacturing capacity.

Appears to play a significant role in raising the general level of tech-nological knowledge.

SOCIOLOGICAL

The contributions made by the Amateur Service in this category are of two types: communications services and in-direct contributions to the general welfare. Some of the contributions in this category are unique to the Amateur Service; many have come to be regarded or wital

Vital Communications Services

- Provides emergency communica-tions in support of disaster relief organisations (e.g. fire, police, other public service agencies).
- · Disseminates news when other communications systems have temporarily failed.
- Broadcasts warning of potential
- natural or other disaster. Provides special communications support for medical crises and other medical functions.

Non-Vital Communications Services · Provides short, medium, and long distance point-to-point communications

- of a specialised nature, such as for scientific expeditions and for service-men and other emissaries of a country
- Projects a nation's image abroad more credibly than do international broadcasts.
- · Assists in the development of international understanding and goodwill through person-to-person contacts. Provides communications support for special community and other func-tions (e.g. Boy Scout Jamborees, etc.).

Indirect Contributions to the General Welfare

- · Provides incentive for scientific. engineering, and technical careers. · Provides a reservoir of trained
- communications and electronics specialiete
- · Provides impetus for a broader and more technically sophisticated education system.
- Where commercial telecommunications are minimal, helps to bring peo-ple of isolated regions of a country together under a common national
- hond By self-policing, lightens the ad-ministrative burden of a nation's spectrum managers.

The Amateur Service is exceptionally conservative of spectrum space when the ratio of services rendered per kilocycle of spectrum allocations is con-sidered. Any other radio service, performing the same functions to the same degree, would require not only a larger commitment of public funds, but also significantly more spectrum space than is now allocated to Radio Amateurs.

SIGNIFICANT CONTRIBUTIONS

While the above image is one which, generally speaking, has been projected successfully in technically advanced countries (such as U.S.A., U.K., Australia, etc.)—and it must continue to be so—how is it to be so projected in newer developing, I.T.U. voting counsewer of the country of the cou

Firstly by establishing an Amateur Service.

The Amateur Radio Service can make significant contributions to new and developing countries in every sector that has been discussed in the S.R.I. Report. Moreover, the contribution in some sectors can be relatively greater for these countries than for countries that have progressed further technologically. For instance, the relatively modest diffusion of the telecommunications plant in developing countries can benefit greatly from Radio Amateur message-handling operations. The more extensive the Amateur system, the more benefits will accrue. To encourage the vice, a country may undertake one or all of at least six actions:

- Encourage and officially sponsor the organisation of local Amateur Radio clubs. 2. Encourage equipment purchases for licensed Amateurs by reducing or
- eliminating tariffs on certain components and equipment. Assist in the dissemination of technical literature.
- Design licensing requirements so that a variety of operating prefer-ences will be accommodated.
- 5. Increase the number and scope of technical courses in the curricular
 - 6. Support allocation of adequate frequency bands for Radio Amateurs in international radio conferences.

The last point is the crucial one.

BRIGHT STAR CRYSTALS FOR ACCURACY, STABILITY, ACTIVITY AND OUTPUT

m

Our Crystals cover all types and frequencies in common use and include overtone, plated and vacuum mounted. Holders include the following: DC11, FT243, HC-8U, CRA, BTG, Octal, HC-18U. THE FOLLOWING FISHING-BOAT FREQUENCIES ARE

AVAILABLE IN FT243 HOLDERS: 6280, 4095, 4535, 2760, 2524 Kc. 5,500 Kc. T.V. Sweep Generator Crystals, \$7.25; 100 Kc. and 1000 Kc. Frequency Standard, \$17; plus Sales Tax.

Immediate delivery on all above types.

AUDIO AND ULTRASONIC CRYSTALS-Prices on application.

455 Kc. Filter Crystals, vacuum mounted, \$13 each plus Sales Tax. ALSO AMATEUR TYPE CRYSTALS - 3.5 Mc. AND 7 Mc. BAND.

Commercial—0.02% \$7.25, 0.01% \$7.55, plus Sales Tax. Amateur—from \$6 each, plus Sales Tax. Regrinds—Amateur \$3, Commercial \$3.75.

CRYSTALS FOR TAXI AND BUSH FIRE SETS ALSO AVAILABLE.

We would be happy to advise and quote you. New Zealand Representatives: Messrs. Carrel & Carell, Box 2102, Auckland. Contractors to Federal and State Government Departments.

BRIGHT STAR RADIO LOT 6. EILEEN ROAD, CLAYTON, VIC.

Phone 546-5076

H

With the co-operation of our overseas associates our crystal manufacturing methods are the latest.

Page 16



Sub-Editor: CYRIL MAUDE, VK3ZCK 2 Clarendon St., Avondale Heights, Vic., 3034

Well there's nothing new to report this month except that a couple of new beacons beacons to be a complete of the property of

The second is Launceston's t.v. channel I In the near future I hope to give an accurate and up to date list of beacons and net frequencies in use in Australia and New Zealand. Correspondents could assist by letting me have the appropriate information as early as possible. It would be most helpful if the following details are given: mode, polarisation, and frequency to the third decimal place. Cheers and 73, Cyril VKSZCK.

NEW SOUTH WALES

NEW SOUTH WALES
Owing to a sudden recall of Peter Ford to
New Zealand the June meeting of the V.N.
The evening was not lost, however, as Pint
VKEZE expounded the position of v.h. activ
In Townston, as Pintent on the such
subjects as how to handle a dog-pile of JA
sations on 6 metres.

stations on 6 metres.

During the business portion of the meeting a motion was carried to the effect that originating stations on the v.l. broadcest should be stating stations on the v.l. broadcest should be stating stations on the v.l. broadcest should be stating to the station of the stat

cue, ranny, now much was the bride?

The big news of activity in N.S.W. hald on Priday, 15th September. This is the social event of the year and the four-course supper event of the year and the four-course supper both gournet and connoisseur. Accommodation is limited to 200 persons and it is expected is printed. If you have not already acquired your tickets contact Norm YEZZXC as some your tickets contact Norm VK2ZXC as some unfortunate person may have been forced to cancel his bookings. The proceeds from this event will help pay for improvements to the v.h.f. facilities at Dural.

v.h.f. facilities at Dural.

One of the new items under way for Dural is a 144 Mc. converter with low cross-modulation characteristics. This should go a long Interstate and country operators please notes hat the N.S.W. V.h.f. New Year Field Day rill take place as usual so start making plans o join in the fun and reserve your favourite

mountain top.

At the time these notes are being written it is understood that the August meeting will live. The product of the control of th

Other schildles of the Group include monthly fox hunts on 6 and 2 mx and new "hounds" are eagerly sought. At the end of each 12 months prizes are awarded to the contestants amassing the most points in these events. amassing the most points in these events.

A final thought for the month. Have you refreshed your memory of Amateur Regulations lately? If not, why not do so and avoid the risk of an official QSL card. Remember, on the air as well as the road, "courtesy is catching." 73, Keith VKZZAU. VICTORIA
BOth bits and two quetters have been failty to the property of the pr VICTORIA

in use and weil whom the Amateurs.

The V.h.f. Group Field Days for the coming summer season are: Oct. 15, Nov. 19, Dec. 17 and finalized), Dec. 31 and Jan. 1, Jan. 29, Feb. N.F.D., and Mar. 17. Until next month, 73 and good DX, Cyril

GIPPSLAND: 8 metres: The following DX signals have been heard: 8.00 metres: N.Z. Ch. 1 tv. 19/6/67—1330-1445 " " " " " 20/6/67—1330-1445 " " " " "

VK Ch. 0 t.v. Brisbane. VK Ch. 1 A.B.C. test

VK Ch. 1 A.B.C. test pattern, programme. another Ch. 1 beating with above. Ch. 0 Brisbane with several strong peaks. Ch. 0 Brisbane, rapid flutter type QSB. 1615-1630 ... 1943-1948 " 25/6/67-1015-1030 "

2 mx: Nil DX. Some local am. activity and a lot of the A some local am. activity and a lot of the A some limit of the activity and a lot of the A some limit of the activity and a lot of the A some limit of the activity and lot of the activity and

TAMMANIA

Moi a great amount of news this month but
more news in the conting month. As menmore news in the conting month. As menmore news in the conting month. As menin fact, does in. These translaters have been
in fact, does in. These translaters have been
in fact, does in. These translaters have been
conton, which is a bad signal area for the
translated to Channel 11 and Channel 2 is
translated to Channel 11, and Channel 2 is
translated to Channel 11 and the conton
translated to Channel 11, and the band at
Two Meters. The sectivity on this band
Two Meters. The sectivity on the band
Two Meters are the conton
to make the conton
to t



northern zones in the near future, so a two
definitions and the second s keep an ear open for these two chaps in near future. 73, Brian VK3ZBR/P/VK7.

NEW ZEALAND
The New Zealand Post Office has announced
that approval has been given for the establishand 1288 Mc. bands. The Auckland V.M.
Group intends to apply immediately for the 146
but needs minor modifications. More details
will be given when they become available.
Group intends to apply immediately for the 146
but needs minor modifications. More details
will be given when they become available.
Gal Mc. I West about care under a many large of the 146
but needs minor modification and the 146
but needs a minor modification and the

ARE YOU ... READING "73"?

If you are a DX-er, a VHF-er, or a home constructor: whether your interests are SSB. RTTY, microwave, low brow or high brow, valve, transistor or integrated circuit, "73 Magazine" has something for you each and every month. Every month "73 Magazine" publishes over 30 technical and construction articles - more than the other Ham magazines out together. Since there are so many pages of technical material in each issue, "73" can well afford to have something for every reader; the other Ham magazines just do not have the space. In addition, many of the latest electronic developments have been first introduced to the Ham fraternity from the pages of "73 Magazine." So, should not you be reading "73"?

You are probably thinking that a subscription to "73" is expensive. No, it isn't. Why? Because we want you to try it and become addicted. \$5.00 U.S. per year world wide. VK Amateurs may subscribe direct to "73 Magazine," Peter-borough, N.H. 03458, U.S.A., or through W.I.A., P.O. Box 36, East Melbourne, Vic., 3002, for \$A4.50.



Why specify PrecisionWindings' printed circuits?

As Australian industry moves into an electronic era new applications for printed circuits are developed every day . . . and design engineers expect their printed circuit suppliers to be versatile and flexible.

Constant research and scientific evolution of production techniques at Precision Windings' plant assures first grade manufacture; even relatively small quantities can be produced economically.

PWs photographic process does have many advantages . . . definition is crisp and clear, negatives are readily available for alterations, quality control during manufacture is precise. This is why more and more industrial organisations specify Precision Windings printed circuits.

Delivery is prompt and prices most competitive . . . and advanced technical advice is yours for the asking. Ask for a "no obligation" estimate!



52 Cambro Road, Clayton, Vic.

Tel. 544 7370

NEW CALL SIGNS

APRIL 1967 VK1ZDZ/T-J. F. Ingham, Station: 18 Blair St., Watson, Canberra; Postal: C/o. T.V. VK2KJ/T-K. L. Finney, 1 Hill St., Baulkham VK2RZ-V. B. Aldrich, 9 Westbourne Rd., VK2ABI—T. W. Barnes, 74 Cabbage Tree Lane, VK2AIR.—A. J. Smith, 111 Northcott Rd., Seven VK2BCW-C. H. Wall, "Lyondale," Coonamble Rd., Gilgandra. VK2BHG-M. A. Harrison, 14 Market St., Rockdale. VK2BKJ-K. A. Jays, 27 Grover Ave., Cromer. VK2BTK-S. King. 171 Tamar St., Rallina. VK2BTK—S. King, 171 Tamar St., Ballina. VK2BWC—A. W. H. Cox, 15 Edmund St., Lind-field. VK2ZLQ—L. E. Peasley, 127 Byangum Rd., Murwillumbsh. VK2ZMJ—L. F. G. Miller, 47 Russel St., East VK2ZMJ-L. F. G. Miller, 47 Russel St., East Gosford. VK2ZOD-R. L. Davis, 30 Gormly Ave., Wagga Waggs. Uwagwi E. Dunn, 2/43 Station St., West VK2ZWI-W. E. Dunn, 2/43 Station on, Ryde.
Ryde.
VK3L-J. P. Baker, 16 Glendowan Rd., Mt.
Waverley,
VK3AO-J. R. Torrington, 4 Thistie St., Pascoe Vale South. VK3ZED-P. R. Harden, 33 McComas Gr., Burwood.

WYSZEV_R. L. Baker, 14 Davies St., Altona. VK3ZSY-R. I. Baker, 14 Davies St., Altona. VKSZVG/T-G. A. Cohen, 10 Lemana Cres., Mt. Waverley.
VK3ZVK-G. K. Swan, 5 Thurleigh Ave., Croydon.
VK3ZWA-G. S. Bysss, Flat 14, 274 Domain Rd., South Yerré.
VK4ZDN-D. J. Abel, King's College, St. Lucia. UK4ZJT...J. N. Thornton, 28 Edward St., Kingursop_T. N. Diviney, 6 Veronica Cres., VKSQD—T. N. Diviney, 6 Veronica Cres., Lockleys. VKSZG—L. A. France, Station: 22 Braeside Ave., Holden Hill; Postal: 296 Gover St., North Adelaide, VKSZEF/T—R. J. Foxwel, Rd., Mile End. VKSZU—G. L. Johnston, 9 Pirie St., Port VKSZKJA-G. I. Sommann, Prince St., Tea Princ. VKSZKP-K. J. Pearce, 28 Elizabeth St., Tea Tree Gully. VKSZLW-L. E. Wood, Flat 9, 20 Cassie St., Collinswood. VKSZNW-G. F. Wheadon, 22 Selth St., Albert Park. VK6IZ_K Khuen-Kryk, 7 Regent Ave., Mt. Pleasant. —I. Gregory, 58 Upton St., St. James, VKEOV VKSOV—I. Gregory, so Opion S., St. Control Bentley, VKSUT—T. G. Miller, Jnr., U.S. Navcomsta, North West Cape. VK6ZBK-R. J. Howard, 53 Birdwood Ave., VK6ZCO-L. E. Cox, 16 Oxford St., South Perth. VK6ZCW-M. P. Ryan, 8 Farris Pl., North Innaloo.
VK6ZDA—J. T. Hart, Flat 4, Squire Flats,
Morriss Rd., North Innaloo.
VK6ZDF—R. T. Fisher, 48 Purslowe St., Glendalough.

VK6ZEF-R. F. Frost, Port Hotel, Carnarvon. VKTZA-N. L. Dittmann (Mrs.), 15 Kerry Crt., Summerdale, Launceston. VKTZDP-D. M. Potter, 5 Darling Pde., Mt. Stuart. VKTZGP-F. R. Groom, 44 Ashwater Cres.,

AMATEUR LICENCES IN U.K. on 31st January, 1967, the number of Ame

G. Waterhouse, Tarelton, via

Penguir VKTZPW-P.

On 31st January, 1967, the number of Amsteur licences in force in the United Kingdom was as follows:

Amsteur (Sound) Licences A ... 12,005
Amsteur (Sound) Licences B ... 317
Amsteur (Sound Mobile) Licences B ... 416
Amsteur (Sound Mobile) Licences B ... 406
Amsteur (Television) Licences B ... 406
Amsteur (Television) Licences ... 176
Celevision Commences ... 17

240 Volt AC Power Supply/ Speaker Units, heavy duty design, matching to and for use and purchase with Galaxy and Swan Transceivers \$70

H3JR junior tri-band, 3 el. beam ... \$100
H6DX senior tri-band, 6 el. beam ... \$210
D824A senior 2040 M. 4 el. beam ... \$225
402BA 40 Metre 2 205
beam ... \$150
Newtronics 4BTV 10 to 80
solf-supporting base-station vertical \$70

vertical \$70
Webster Bandspanner, alband, complete \$50
CDR Ham-M Antenna Rotators, heavy-duty \$180
Coax-Baluns 500W rating, 72
ohms, for dipol. & GSRV \$10
Crystal Filters, plug-in type,
5165-5325 Kc., with matched
carrier crystals \$15

Set of 10 FT243A Crystals, 5385 Kc. with toroid coil, etching salt and filter construction instructions ... \$6 Eimac 3-400Z zero bias linear amplifier tubes \$35 Eimac special sockets for 3-400Z tubes \$7.50

★
Prices net cash. F.O.R. Springwood,
N.S.W. Freight and postage extra.

Sideband Electronics Engineering

ARIE BLES
33 Plateau Road, Springwood
P.O. Box 23, Springwood,
N.S.W., 2777 (postcode)
Telephone Springwood 511-394

YOUTH RADIO SCHEME

WANTED: Leaders with knowledge of Radio to lead small Y.R.S. correspondence course groups. Write Supervisor, R. Davis, VKIRD, 14 Hoves St., O'Connor, Canberra, A.C.T. it flows it. O'Genere, Casherra, A.C.T.
The YARA has grown theadily with active
Casherra and the Casherra and Casherra and

activities in science and mathematics.

To assist present and future Group Leaders of Correspondence Groups to instruct student members of such groups by providing ready-made programmes of activities.

(d) To co-ordinate the activities of all Group Leaders and to promote co-operation and interchange of ideas among Group

Leaders.

To give encouragement and recognition to members who attain certain specified field of radio by award of certificates. To provide all State Divisions of the field of radio by award of certificates. To provide all State Divisions of the control of the

Touchit in disc Schime.

Touchit in disc Schime of the corresponding of the Park WKIDT. Treasure, Misc Vicilia, Vicilia,

ordered the second of the seco

CLUB NEWS

VKI: Roger has a couple of volunteer cor-respondence course leaders from among his former students. This is a and shows appreciation on the part of the and shows appreciation on the part of the young men.

YMC2KW. President of Maitland YMC.A. Radio Club, advises that they now Maitland YMC.A. Radio Club, advises that they now however the the property of the completed so members can get practical exper-ience for their various certificates. The club intends to build its own radio gear which should create a lot of interest for some time. I think we can expect a nice sprinkling of new Hams from here in the future. VK3: There are two new member clubs— Moorabbin Technical School with Mr. L. Tap-lin as Club Leader and Kingswood College Y.R.C. with Roland Roper as Club Leader. We will look for more news from this quarter

will look for more news from this quarter (Governe park State School YLKC, has membership to the property of t

miles.

'WAS: Port Pirie V.R.C. has two more sucVRS: Port Pirie V.R.C. has two more sucteur R.C. has been very successful with its
first sitting for the Elementary with six pasgrade passed. Welcome to another new club at
Elementary and so far three out of four have
passed. Welcome to another new club at
Elementary six passed to the passed to the company of the company

Elementary and so far three out of four have
passed. Welcome to another new club at
Elementary and so far three out of the company

Elementary six passed to the company

Elementary six p

1966 "CQ" W.W. CONTEST

VK Results Phone— Call •VK2WD •VK2FU •VK2APK •VK3ZR Band Points 35,988 17,695 147,864 61,722 7,728 22,001 432 195 49 162 VK3XB

VK3ABA

VK3LW

VK4CK 70,560 4,114 3,157 660,393 *VK5LC/5 *VK6XX 12,384 8,460 *VK9DR 63

VK9XI This 149,640 was a multi-operator station. Total Points 530,640 203,000 117,852 1,350 C.W.— Call •VK2EO VK2GW Band VK2PV VK2RA VK2RA
*VK2BKM
VK2QK
*VK2APK
*VK3AXK
VK3AB
VK3ABR 32,040 114,837 154,845 402 431 51 56 90 435 224 112 36 103 33 70 14 589 6,410 3,432 7,424 84,456 84,456 31,161 5,712 2,592 8,700 2,730 6,358 798 VK4UC *VK4SS *VK488 *VK5KO *VK5WC VK5RX *VK7SM

All the above were single operator · Certificate winners. Single Band Leaders (Oceania only) _____ 17,605 points

KH6EPW 5.040 VK2BKM 32,040 points K8CAA/KH6 50,032 VK2APK 114,837 VK3ADE 84,455 KH6EPW 7,068

13th W.A.E. DX CONTEST, 1967 PRECIS OF RULES

Period: C.W.—0000 hours GMT 12th August to 2400 hours GMT 13th August. Phene—0000 hours GMT 9th August. Phene—0000 hours GMT 9th September to 2400 hours GMT 10th September. N.B.: A minimum operating time of four hours is required to be eligible

Bands: 3.5, 7, 14, 21 and 28 Mc. Calls: Non-Europeans "CQ WAE de . . ." or "WAE de . . ." Europeans "Test de . . ." or "DX de . . ."

Objects: For European and non-European stations to contact one another. (N.B.: UF, UG and UD are in Asia.) This is allowed once per band except for QTC traffic.

Cyphers: (a) A control number consisting of RS(T) report and three numbers representing the QSO must be exchanged for a valid QSO. (b) A QTC may be passed to a European by a non-European only. It consists of the time, call and QSO number of a previous

Sooring: (a) For each complete exchange of control numbers, 1 point, (b) For each QTC transmitted and acknowledged, 1 point, Up to 10 QTCs may be passed to the same station per band, (c) Multiplier, Each European call area counts one country point per band. The addition of all countries on all bands gives the total multiplier. Final Score: All contact points plus QTC points, if any, multiplied by the total multiplier [(c) of previous para.].

Entry Classification: (a) Class A, up to 56w. input. Class B, 51 to 150w. input. Class C, more than 150w. input. If not stated, logs will be graded in Class C. (b) Single operator station. Multi operator station. Awards: (a) Winner in each continental area.
(b) Further awards to the highest scorers in classes A, B and C—if the participation warrants.

Legs to be postmarked not later than 15th September 1967 (c.w.) or 15th October 1967 (phone) and addressed to: Dr. H. G. Todt, Chlodwigstr 5, 1 Berlin 42, Germany.

Publications Committee Reports

As the June meeting was held so late in the month it was not possible to report on this meeting in the July issue. Correspondence was received from VKs 48S, 4NZ, 3AKZ, 3ABP, 3ZVI, 3ZBD and 2ZPC. Technical articles were received from VKs 3AMK, 3ZEL, 6XY, 2AMA, 2PY, 2TO, and 5WD. Considerable time was devoted to the next issue of the Call Book and various suggestions given consideration. All Divisions have been written to and asked to bring Divisional in-formation up to date.

Among suggestions considered was one that a number of prominent radio clubs be invited to supply information for inclusion, to enable country and interstate travellers to have a ready reference of "who and where". It was decided to write for this information.


The Call Book will include additions and alterations up to and including the May list issued by the P.M.G's Department. No amend-ments or new calls after this list can be included in the 1887 issue.

Some changes were agreed upon regarding the lay-out of "Amateur Radio", the most important being the re-location of "Federal Comment". With the growing importance of Federal matters it was felt that more prominence and space should be made available as from this, the August Issue.

It was noted that notes correspondents are tending to submit material in forms ofher than that outlined in previous issues of "A.R." and those concerned are asked to go back over previous issues to ensure they are complying with the requirements of the committee. the bulb needing of the committee was devoted to be consisted or the Call Book time was not available to handle any other business. This report is therefore technical articles received. Correspondence received from VKS 22II. J.M. ZMT. 4NK, ST. W. Johns. Technical articles were received from VKS 22IX. AT and JAU.

Amateur Radio, August, 1967

DEDICTION CHARTS FOR AUGUST 1967



NEW 1967 EDITIONS!

HIST ARRIVED-

RADIO AMATEUR'S HANDBOOK The standard reference work and text for everyone—Hams, Experimenters,

Students, Engineers, Lab. Men, Technicians.

RY APPI

PRICE \$6.10 posted

★ THE RADIO HANDBOOK-17th Edition Tells how to design, build and operate the latest types of Amateur

Transmitters, Receivers, Transceivers and Amplifiers.

PRICE \$13.45 posted BY ORR

ALSO AVAILABLE-

RADIO TRANSISTOR HANDBOOK **★** THE This up-to-date Handbook covers a wide range of communication for

both Amateur Radio and Commercial Applications.

BY STONER & EARNSHAW

PRICE \$6.65 posted

McGILL'S AUTHORISED NEWSAGENCY

Established 1860 "The G.P.O. is opposite" 183-185 ELIZABETH STREET, MELBOURNE, C.1, VIC.

Phones 60-1475-6-7



By the time this reaches your mail box conditions may have begun to stir from their winter somolence. Great expectations are held for this spring. It is to be hoped that your gear is in 'go' order.' Fifteen metres has held up rather well. your gear is in "go" order. In the well. Fifteen merete has held up rather well. Fifteen merete has held up hold from divers places. Not too much rare stuff but more will begin to use this good band. Listening on 7 Mc. around 600bc and later. Listening on 7 Mc. around 600bc and later workship but this band is now but a shadow of its former self because most DX has vacated it, for less QfMed pastures.

NOTES AND NEWS

NOTES AND NEWS

Willis kland YKRIG will commence operations from the body will commence operation from the body will be continue that the commence of the control of the co

ISBEG.
Galapagos: HCSJG 040z 14206.
Tristan de Cunha: ZDBBI 14235 1700z. Mostly reek-ends. QSL W3GHK.
Ivory Coast: TUZBA 14222 2030z. (LIDXA)
Sth. Georgia: Dave VPSIE now said to have whoses. 8.8.b. gear. Very active.

Bear Is.: E10BI 21400 1500z. QSL E12AW. Bear Is.: EIOBI 21400 1890z. QSL EIZAW. (LIDXA) Nepal: Father Moran works transceive on 14123 1100z. Canary Is.: EASCB 14220 2044z. Big sig. here. Canary Ia: EAGCB 1422 2044. Big sig. here. Somall: 6010B 1439 1118. QSI American Smalls, Dect. of State Washington, DX. Big sig. here. Smalls, DX. Big sig. here. Smalls, DX. Big sig. here. DX. Big sig. h

Egypt: SUIAR 14018 2300z. (G3UGT)
Sao Thome: CR5SP still at it on 14195 1600z.
CR5CA 21065 2045z. URSCA 21065 2045z.
Sikkim: ACSPT 21030 1100z. (GSUGT)
Sikkim: ACSPT 21030 1100z. (GSUGT)
St. Heiena: ZD7KH 14195 1830z. QSL 860
Atlante St. Lindurst, L.I., N.Y. (G3UGT)
Saipan 1s.: KG6SL 14300 1100z. QSL W4FRO.
(G3UGT)
Much of the following is by

(GSUGT)
Much of the following is by courtesy of
ZL2AFZ, Geo. Studd, DX Editor for "BreakIn" magazine in ZL. This news is received
on the usual exchange arrangement.
Expo VE: Station operating from here is
VEXXPO. 14014 16212 16002, 467NG 21015 VESEND. 14014 16372.

Ceyloni STECC 14040-15092. 457RG 21015
000.00 XTS 11410-15092. 457RG 21015
000.00 XTS 11410-15092. 050 now has permits to
operate from here and Gabon and later fiched.
He will be TLAGG, TREGG, TTMG, QSL to
the second will be also and 2 de beam.
He will be TLAGG, TREGG, TREGG, TREGG, WILLIAM CONTROLLING THE SECOND TREGGE AND TREG pipe.

Malawi, Tromelin and Geyser: CR7GF will be the man behind calls from these rare ones. Keep listening. QSL W4VFD with s.a.s.e. or SAE/IRC. Keremeccet: ZLIAI still going on 14200 a.m. from 030c. Rumoured that he will be Qirr better gent. Dir. Phoenite as Walls with Sebetter gent. South Orkenyx: VPF2D 14127 asks that his Scientific Studies Committee. This group is aking for reports on the Propagation Research Become on 1620. There is also a become the propagation of the pr Sunspot (ZL2AFZ) Virgin (ZLIARZ) II.: KVALA. Dick Spenchey, now ver-ported back on the six, 14871 1202s. (VKUUC) Bermuda: WBEFYZ/VFS and WASYU/VFS both GRY 14 ew, 0750z. GRJ. Bureau, (VKUUC) to be active from here and will use bands 80 through 15 mx. His durstion of stay will be through 15 mx. His durstion of stay will be an ear out for him. GTH, E.O. Box 163. Raro-tonga, Cook 1s. (VKSBS)

ACTIVITIES Harry VK8HA reports 28 Mc. now poor but did work these on the last solar flare: UW0SX, UF6DZ, 42/4AG, OK3DG, YO6AJF, KASAK, MP4BEU, UV3AAM, ZL2AUM, UW4IB, ZS6D. MN4REU UVAAM ZLAAUM UWMID ZSOD.

JUMN UTDIN ZSODMIT OVABUT WWM
ZED STORM ZSODMIT ZSODMIT ZSODMIT ZSODMIT
ZED STORM ZSODMIT ZSODMIT ZSODMIT ZSODMIT
ZE HERTY PEPOTE his best catch for the month
was that the best catch for the month
on much rar fine best catch for the month
on much rar fine best catch for the month
on much rar fine best catch for the MNAM
ONIZE, GZSOP FABOV. HENDO, VGECO,
DVIEVE OKRIGOT VAASP, UVXXV. OKRIF,
DUM VKASV, not on much but did manuse
ELBB as his best on 14 for the month. These
ELBB stis best on 15 for the month. These
ELBB stis best on 15 for the month. These goodes were neard: ZISIZ 14090 0740Z, GASHA 14180 0700Z, FGTTE 14030 0615, 6W8DD 14050 0740, 5UTAC 14110 0700Z, 6W8DX 14110 0700Z, ZLIAI 14250 0630Z, EASET 7020 0645Z, 5W1AA and VR5RZ (ex VK4RZ) 14135 0700. and Violatic (S. Varacci) 14135 0100.

Ken VKSTI, reports bed as better than characteristic of the control of t

F.O.B. 300, Legos (Thanks Ren.)
Tree V.KENS has sent in a very interesting for the control of th is a QRF man, relatively speaking.

It a QRF man, relatively speaking.

The O.O.T.G.—the Old, Old Timers' Club, better the O.O.T.G.—the Old, Old Timers' Club, the Committee of the Old Timers' Club, and the Committee of the Old Timers' Club, and the Club, t

Trev VKINS will bring all the dope you want. Chas. VKAUC not very active this month. Conditions on 20 were down this past week 1000 conditions on 20 were down this past week 1000 conditions on 20 week 1000 conditions on 20 week 1000 conditions on 20 will be a seen of the conditions of the conditions

SOME OTHS

5R8AM—K2KTK. 5R8AS—W6ZPS. 5R8AX—TG9EP. 5R8AZ—G3TTG.

TU2BQ—P.O. Box 1617, Abidjan. HC8FN—WA2WUV. 9Q3SR—W1BPM.

SUSDP—WINSM.
GD6UW, GD3VBL, ZD9BH, VP8IE—All via P.O.
Box 7388, Newark, N.J., 07107.
GB2DSF—W3WAO.

GBEDSF-WSWAO.
All by course Havans.
All by course Havans.
SMAPD-C/o. 6 Gelford Close, Worthing, Sussense England.
SMAPD-C/o. 80x 739, Georgetown.
WHYEYEX-VPS-us VPS Buro.
KJ6BZ-Box 937, Detachment 1, 1897 Command
Group, A.P.O., S.P. 86595.

TLSDL—American Embassy, P.O. Box 224, Bangni, C.A.R. ZD9BH—GBZSM, Science Museum, London, U.K. VRIQ—GNMH.

AWADDO

W.A.J.A.-Worked All Japan Prefectures This award is not easy to obtain. There are 65 prefectures in JA. A list of same can be 65 prefectures in JA. A list of same can be QTH below. All contacts must be made after 1/8/32. Any mode or band may be used. QSOs must be with National J stations only. Application and QSL cards must be sent to Overseas Committee, JARLL, PO. Box 377. 70kyo, My thanks again to all the contributors and the many helpful letters. 73, Al VK4SS.

DX'ER OF THE MONTH



Mest Rod Champsen, VECCI, who is at Antarctics. His home call is VELTICE, Rod Antarctics. His home call is VELTICE and mainly between willowing size of York, How-manily between willowing size of York, How-manily between willowing size of the con-ception of the company of the con-gress of the con-ception of the control of the con-ception of the control of the con-ception of the con-trol of the con-trol

W.I.A. D.X.C.C.

Listed below are the highest twelve members in each section. Position in the list is determined by the first num-ber shown. The first number represents exceeding siven for deleted countries. The second number shown represents the total D.X.C.C. credits given, including deleted countries. Where totals are the same, listings will be alphabetical by same, lis Credits for new members and those

PHONE 216/227 WWALD 991 /907 VK3AHO 314/326 VK6MK 303/320 VK4FJ VK3TL 279/296 VK3TL 259/263 VK2AAK 246/250 VK4TY 243/244 VK2APK 234/237 VK6RU VK5AB VK2JZ 303/326 300/314 285/300 C.W. VK2QL VK2ADE VK3NC 266/286 VK3ARX 262/270 VK6RU VK4HR VK3CX VK4FJ 291/312 291/313 258/279 VK2AGH VK2AHQ

VK4HR 296/318 VK2EO 295/318 VK4TY 285/29 VK3TL 279/283 VK2ACX 276/308 VK3ARX 276/28 VK2AGH 311/329 296/318 295/316 286/298 VK6RU VK2ADE VK6MK VK2VN

Sub-Editor: D. GRANTLEY, WIA-L2022 P.O. Box 222, Penrith, N.S.W.

Disastinct D. GRANITY, WIALANDS.

Tollowing the comments I have made in record indices of we altered in the elementary. The control of the co

on mass no be besidered, whether popular unit or working cases in my motiles receively. These working cases in my motiles receively. These working cases in my motiles receively. These are all the mass of the my motiles received and a No. 10, which them from 2 to 18 and 2 to 20 MeV. The motile of the motile of

NEW SOUTH WALES

NEW SOUTH WALES

No report of the June meeting has been.
No report of the June meeting has been.
Hilliard, who was unable to get to the meeting.
QRU officer reports that all cacks received have
to remind VK members that if you are likely
to remind VK members that if you are likely
to remind VK members that if you are likely
to be getting oreads returned through the VK
or an 18WL call if you have one. Both are
considered to the control of the control of the
uniform of the control of the control of the
uniform of the control of the control of the
uniform of the control of the listner persist
in unific a prefix from other cooleties. in tuning a preak from other solenties, leec of publicity for the Group was obtained when I was interviewed by the magazine staff of the Potal Institute. The gear and a display of Post Office, and photographs taken for inclusion. I have been requested to write an oto Amateur activity, and this is being undertaken at the moment.

VICTORIA

Term Law Woodman course never that the meetings. "Numbers are decoping below the meetings." Numbers are decoping below the meetings. "Numbers are decoping below the meeting. "Numbers are supported by the support of the three senseties of the property of the support of the support

DX NAWS

OF THE PROPERTY OF TH

POSTAL DIRECTIONS

POSTAL DIRECTIONS
July uthered in the new postcode system is
July uthered in the new postcode system is
postcode in the new postcode system in
portance to anybody who uses the mails are
portance to anybody who uses the mails are
There are two major points, firstly include the
code number of the fown to which the letter
own postcode in all communications. All letters to my QTI should include the number
objects such as plin, be enclosed, as these tent
to tear as well as interfere with the deceders

AROUND THE SHACKS

AROUND THE SHACKS

Ernie Luff, with a score of 217/41, is climbing rapidly up the ladder and at the same long transport of the same long rapidly up to ladder and at the same longing of late were 974AR, VPLIS, VPL Bob Mutten down in VK7 has inward QSLs from K8HUX, CR6CQ, UL7BG, JAIKHK, VK-2AVA/LH, PYINBF, taking his score along to

Cover to VKS and once again I was very contone to VKS and once again I was very local to the large of the l

OKAGE, DLIFF, WYLF and YKEKO.

Here in VKZ hings are not so bol IX wise,
Here in VKZ hings are not so bol IX wise,
Here in VKZ hings are not so bol IX wise,
of DX remains are 13 if you can get brough
to A QMM. Strangely enough, 36 has been
on the air from VKz that the band was poor
on the air from VKz that the band was poor
on the air from VKz that the band was poor
one with sort eith as a VORDIP, VMS, VKZ
PYCLI, THIGQ/AM, UOSGN, CYIDI, VMS, VKZ
PYCLI, THIGQ/AM, UOSGN, CYIDI, VKS, VK
PYCLI, THIGQ AM, UOSGN, CYIDI, VKS
PYCLI, THIGQ AM,

DURALUMIN, ALUMINIUM ALLOY TUBING

IDEAL FOR BEAM AERIALS AND T.V.

★ LIGHT ★ STRONG ★ NON-CORROSIVE

STOCKS NOW AVAILABLE FOR IMMEDIATE DELIVERY

ALL DIAMETERS-1" TO 3"

Price List on Request

STOCKISTS OF SHEETS-ALL SIZES AND GAUGES

GUNNERSEN ALLEN METALS PTY. LTD.

SALMON STREET. PORT MELBOURNE, VIC. Phone: 64-3351 (10 lines) Telegrams: "Metals." Melb.



HANSON ROAD. WINGFIELD, S.A. Phone: 45-6021 (4 lines) Telegrams: "Metals." Adel.

Page 22 Amateur Radio, August, 1967



FEDERAL AND DIVISIONAL MONTHLY NEWS REPORTS

(SEND CORRESPONDENCE DIRECT TO DIVISIONAL REPORTER NAMED AT PARA END)

EEDEDAL

PATIFICATION OF PERPAT. COUNCILLOR'S VOTE

OUNCILLOR'S VOTE
In addition to Divisions previously mentioned,
written indication has also been received from
VKS and VKT as to ratification of their Federal
Councillor's vote. The VKZ Federal Councillor
indicated verbally on the 3075 Kc. sked on
25/6/87 at 2200 hours that his Division has also
ratified his vote on all motions.

CONSTITUTIONAL MATTERS (a) No Division has indicated opposition to

changing clause of 1967 1.4 to read: Times 41: "The date and time prior to which completed voting papers must be received at the office of the Institute in order to be counted shall not in any case be less that as which voting papers are sent to members." Accordingly that clause is so amended in accord with 1966 motion 1.3.1 (b) The above action was taken at the re-quest of VK4 Division who have indicated through their Federal Councillor that they will ratify the constitutional items once the above point is cleared up.

above point is cleared up.

(c) It is apparent therefore that the dis
(c) It is apparent therefore that the dis
tion of the discount of th

BROADCASTING STATIONS

BROADCASTING STATIONS
The Australian Broadcasting Control Board
has informed us of the following additions to
the list of Broadcasting Stations:
Kc.
Station
Station
4AM, Atherion Tablelands Ares.
4KZ, Innisfail-Tully Ares.
4GG, Gold Coast Ares.

These stations are not yet in operation.

Mr. Richard Tonkin has contacted the Federal Secretary on his return from U.S.A. He thanked the W.I.A. for its mittal sponsorably have been supported by the second secretary of the property of the package, it was given time to be put in "go" condition by Les Seikhts, population of the package, it was given time to be put in "go" condition by Les Seikhts, population of the package, it was given time to be put in "go" condition by Les Seikhts, population of the package, it was given time to be put in "go" condition by Les Seikhts, population of the package in the package AMENDED INWARD OST, BUREAU

ADDRESSES VK3 QSL Bureau: Mr. E. Trebilcock, 340 Gillies Street, Thornbury, Vic. VK5 QSL Bureau: Mr. Geo. Luxon, VK5RX,

FEDERAL OSL BUREAU

FEDERAL OSL BUREAU

FEDERAL OSL BUREAU

FEDERAL OSL BUREAU

FOR CARDEN, LOTA, advises Plans for a from Licensburge with the call KIOYAA/ILA

FOR CARDEN, BUREAU

FOR CARDEN, C

Although it appears a little too soon to expect a large drop in the volume of cards through the Federal Bureau, the total for June showed a 50 per cent reduction to 6000 -Ray Jones, VK3RJ, Manager

NEW SOUTH WALES SPECIAL GENERAL MEETING

On Friday, 23rd June, the Special Gener Meeting of the N.S.W. Division was held. The meeting was the one notified to all member in the mailed circular. The business to be dealt with was:

- alt with was:

 1. To hear a report of the Auditor on the financial ability of the Division to employ a Secretary.

 2. To hear a statement on the legal obligations and powers of Council.

 3. To consider a motion of confidence in
- 3. To consider a motion of confidence in The International Control of Interna

attendance, or conscerned importance and use would utilizately depend on the outcome of The Freedomt in a brief statement and that the notice poper and then had the initiate the notice poper and then had the initiate the initiate of the initiate of the initiate the initiate of the init

Provision, would have to be made for one workers concentration insurance and public workers concentration insurance and public workers concentration in the control of the

- SILENT KEY -

It is with deep regret that we record the passing of: VK2AGL—Warren Lumb. VK3VZ—Jack Duncan VK5JK—James Sullivan.

Council subsequently at the next general me ing so that the Council would be foolish proceed on a matter without the support

Council subsequently at the next general meet-proceed on a matter without the support of proceed on a matter without the support of proceedings of the support of the President Finney they said that this was the recommendation of the support of the support to the support of the support of the support to the support of the support and he thought the cries were about five get and he thought the cries were about five get and he thought the cries were about five get and he thought the cries were about five get and the thought the cries were about five get and the thought the cries were about five get and the thought the cries were about five get and the support of the secretary then read out the nations of the support of

earlier meetings to clarify the position. The President then stated briefly that Council had passed a motion appointing a Secretary, until the outcome of the present meeting was had been appointed by the present meeting was long and the Legal Officer then read out a report from the Legal Officer then read out a report from the present present the present of the present pr

financial statement of the Division's position at present.

Mr. Rohan then arrived and explained the financial statement more fully and said that the costs of the Secretary would be an additional \$1,100 per year at least, but this year cost would be about \$800. Mr. Rohan thet called for questions.

cont would for about \$600. Mr. Roban then
\$179 time came right to be point and asked
could thin required on a right. The point
\$170 time came and a right.
\$170 time came

management could limit the increase to be a factor of the country of the country

then spoke on the subject.

2APQ then moved a motion that the meeting endorses the action of Council taken so far endorses the action of Council taken so far some subject of the motion and it was put to the vote. The entire meeting was for the motion and the writer did not see the council taken to the subject of the motion and the writer did not see that the subject of the subject is the subject of the subje

DYNAMIC MICROPHONE & STAND

* IOW PROFILE * COMPACT * STARIE

SPECIFICATIONS:

Impedance: 50 ohms, 50K ohms Frequency Range: 80 to 12 Kc.

Output: -55 db. (0 db. = 1V./dyne Cm2)

Switch: D.P.D.T. P. to T. Housing: Angle adjustable

ROBUST BASE STATION P.A. MICROPHONE



TYPE 45



ZEPHYR PRODUCTS PTY, LTD.


70 BATESFORD STREET, CHADSTONE, VIC., 3148

Phone 56-7231

Manufacturers of Radio and Electrical Equipment and Components

W.A.— S.A.-N.S.W.-Old .-D. K. Northover & Co.; Neil Muller Ltd.; Homecrafts (Tas.) P/L.; Jacoby, Mitchell & Co. P/L.; T. H. Martin P/L.

TRIMAX for a complete transformer range!



Trimax have availtransformer.





M ERICSSON [訊:

The resident these referred to the likel time on the notine and exclusional ratificially salvy he left the previous meeting. He slice gave a most report on the littles of the Perceivalent AlM moved a motion of confidence in Council and the slice of the

TIME MONTHLY MEETING

The meeting opened at 9.55 with the reading of the minutes which were adopted. Applications for membership were then presented to the meeting and a total of 35 full members and 15 associate members were accepted. and 15 associate members were accepted.

Dave 2EO then moved a motion that a token of thanks should be forwarded to Mrs. Gerdes for her efforts in the past as Socretary-token of the control of the cont suitable token would be sent to Mrs. Gerdes. Federal Councilior Pierce Healy then tabled the minutes of the last Federal Convention for ratification, discussion then ensued and in response to a question by ZZRD regarding the payment of 1.T.U. Fund quota, Pierce read out the minute. Dave ZZO said that as a member of the Constitution Committee he would like

ORITHARY ALFRED KISSICK, VK3KB

JAMES PATRICK SULLIVAN, VESJE The VK5 Division announces with sin-cere regret the passing of "Jim" Sulivan, VKSJK, aged 62 years, who had been in the Repatriation Hospital for some weeks prior to his death, in a serious condition.

prior to his death, in a serious condition.
Active on the air for many years positwar, he was keenly interested in Amateur
Radio, both as probly and and and such
this in view he was solely responsible
in organising WLC.E.N. against many
wards. The position of the position of Co-ordinator only when he feel
it was a going concern and his sense of
duty was solitified.

duty was satisfied.

A prisoner of war on the Burma rallA prisoner of war on the Burma rallFortres and the prisoner of the properties of the present of

to read the minutes first. Pierce said that the ratification was only a formality, and all the other States had ratified them and as usual other States had ratified them and as usual ratification. ARXS agreed that VKz was often accused of this at Conventions. A short discussion then ensued on the motion to ratify put to the vote, the motion was carried with only five voting against. The minutes of the Federal Convention have been ratified by the

Federal Convention have been ratified by the Division. Federal Councillor Pierce then gave a short report on the Australis Project. Frank Hine reported on prediction chart and drew atten-tion to a Computer Printed Prediction Chart which was on display showing conditions to some DX hotspots.

Shortly after 10 o'clock the President de-clared the meeting closed and all retired to the tea and biscuits for the ragchew to follow.

PRESENTATION OF O.T.C. PRIZE TO DAVID FRASER

TO DAVID PARKER

At the general meeting held on 22rd June.

At the general meeting held on 22rd June.

In situations to present the O.T.C. YLLA.

In situations to present the O.T.C. YLLA.

In speaking on this occasion, said that O.T.C.

In speaking on this occasion, said that of the occasion, said that of the occasion, said that O.T.C.

In speaking on this occasion, said that O.T.C.

In speaking on the occasion, said that O.T.C.

In speaking on the occasion, said that O.T.C.

In speaking occasion, said th

PUBLIC RELATIONS AND PUBLICITY OFFICERS

PUBLICITY OFFICERS

Council is still seeking two willing workers
to fill the positions of Public Relations and
Publicity Officers. Both the positions would
require some experience and the location
would have to be in the Sydney area. Those
interested should contact the Secretary or any
Councilior.

AMATEUR RADIO CLUB REGISTER AMARKUR RADIO GLUB REGISTRE

Amateur Radio Clubs in N.S.W. are again

Amateur Radio Clubs in N.S.W. are again

the Secretary for inclusion in the Radio Club

the Secretary for inclusion in the Radio Club

Register. It is hoped to eventually have the

particulars of all clubs in N.S.W. The Division

to continually receiving requests from indiv
to continually receiving requests from indiv
to their address. Quite often we are not able

to assist by not having the information sought.

W.LC.E.N. NEWS

During the last few months the N.S.W.
M.L.C.R.N. Committee have obtained over 180
M.L.C.R.N. Committee have obtained over 180
M.C. not operation and much to the committee's
surprise they disposed of the whole lot to
N.S.W. Amateurs within two weeks of the information being made available to members
of the release of the equipment.

of the release of the equipment. Previously it was thought it may have been necessary to contact the interstate Divisions to assist in the disposal of this equipment, but it was not anticipated that the members in this State would be so enthusiastic to join in this mode of communication.

Besides the Sydney area, major groups are or will be soon operating in the Newcastle, Canberra, Orange and Wagga areas so that Interstate and N.S.W. visitors travelling in the eastern sld of N.S.W. should be able to find Channel B (166.09 Mc.) reasonably active. A plan has been formulated for a Commun-ication Centre to be established at Wireless Institute Centre at Crows Nest and the scheme should be under way in the near future.

ILLAWARRA BRANCH

ALAWAREA BEANCH

ARASIuria In Bilawarea district of solid on
the second Monday of the month in the Content of the second Monday of the month in the Content of the Second Monday of the month in the
ConArea and South 81. Considers, commercing a
second in the district are usued to select
attent to the control of the control
attention of the control of the control
attention of

The Branch has an active net on 53.98 Mc. Any enquiries can be directed to Alan Ward to his call book address or phone on Sunday about 10 a.m.

CENTRAL COAST BADIO CLUB

CENTRAL COAST EADIO CLUB
The feature of the June meeting, held on
Bill June, was a most interesting
lecture, and the second control of the second collecture
Jule, with the sid of a short film and a number of diagrams, outlined the "planar prosullicon planar transistors. The mass production of tiny wafers ten thousandths of an inche
gouver and four thousandths thick is an amazcure of the second control of the square and four thousandths thick is an aming process.

The lecture prompted many questions for the meeting, which were ably answered Lyle. Despite very unpleasant weather, it meeting was well attended. 73, Bill VEXT.

VICTORIA

LORIEM ZONE

Lean now jirv you mees desilis abust our care and the property of the control of th EASTERN ZONE

VICTORIAN DIVISION WIA

ANNUAL DINNER

will be held on FRIDAY, 3rd NOVEMBER In the

ORIANA ROOM McCLURE'S RESTAURANT 454 St. Kilda Road

Price: \$5.50 per head Reservations: Contact the Admin. Secretary, Phone 41-3535.

Wireless Institute of Australia Victorian Division

A.O.C.P. CLASS

commences MONDAY, AUG. 21, 1967

Theory is held on Monday

evenings, and Morse and Regulations on Thursday evenings from 8 to 10 p.m.

Persons desirous of being en-rolled should communicate with-Secretary W.I.A., Victorian Division, P.O. Box 36, East Melbourne (Phone: 41-3535, 10 a.m. to 3 p.m.), or the Class Manager on either of the above evenings. We have been getting a good roll-up on our iday night 80 metre Zone hook-up, and also r Sunday night hook-up on 2 f.m. channel A, th at 200 hours. 73. Albert Cash.

Unfortunately, have not been very sective on the board of the property of the control of the property of the p

LOW DRIFT CRYSTALS

1.6 Mc. to 10 Mc.,

0.005% Tolerance, \$5

10 Mc. to 18 Mc., 0.005% Tolerance. \$6

Regrinds \$3

THESE PRICES ARE SUBJECT TO SALES TAX

SPECIAL CRYSTALS: PRICES ON APPLICATION

MAXWELL HOWDEN

15 CLAREMONT CRES., CANTERBURY, E.7. VICTORIA Phone 83-5090

OHEENSI AND

CONVENTION AT ALEXANDRA HEADLANDS CONVENTION AT ALEXANDRA HEADLANDS
The Queensland Division Convention, held
at Alexandra Headlands on the week-end of
June 3 and 4, was a great success in spite of
the inclement weather. The Convention was
organised by the Bundaberg Amateur Radio
Club on behalf of the Queensland Division of

the W.I.A. Seventy-five points of rain fell on Friday night and more rain fell on Saturday after-noon, Saturday night and a shower late on Sunday afternoon. However, it takes more than a little rain to keep our VK4 boys away from their favourite Convention, as the attendance figures of 200 very clearly demonstrates. ance figures of 300 very clearly demonstrates. These who attended were rewarded with a our enthulasts were not deterred by the 500-state of the 500 states o

some piles competitions for the XXLs and ammenies. Set of the new competitions and interpretation of the content. Jeff ACT, as the operator, and vince styl, as assistant, and for the competition of the competition of the property of the competition of the competition of the competition of the competition of the act of the competition of the competition of the the competition of the competit

the competitors droiped out, till about four organized activities for the harmonies were considered to the construction of the

remarkable range of test equipment.

Among the many willing helpers who matically a state of the state of the

indence in the weeks preceding the tom. George AZMC proved himself the
an to handle the w.h.f. activities. Our t190- 4UB, Danny 4ZDD, Bob 4ZZE,
RR and Tom 4ZAL, for the help they ge
Total registrations—203; total meals set
excess of 300; cups of tea must niversil thousand. Among the congratumarks heard in the closing stages were
onvention ever and "A record in al-

Convention ever" and "A record in all de-partments".

Looking to the future, BARC. would like to see another club top our efforts next year. This see another club top our efforts next year. This selves against on some future occasion. There is nothing like friendly rivalry to bring out the best in all of us. 73, Rusty 4JM and Roy 4ZWR, on behalf of the organisers.

IPSWICH AND DISTRICT RADIO CLUB

IPSWICH AND DISTRICT RADIO CLUB
The 1987 VSc Convention is now over for
this year and I am sure it will linear long in
the memories of all the COAS and XTLA
until the convention of the coast of the coast
well of the coast of the coast
is due to the sphendid effort and planning done
plan to the beak of their labours. The Bunda
berg Club challenged all clubs to see who
could field the most members. They won with could field the most members. They won with 28 members, however we came second with 38 28 members, however we came second with 38 and see the "White Ledy" return back to Bundaberg. She would have been most wel-offer the seed of the seed of the seed of the Once we were neck and neck with equal members present but Bundaberg seemed to bottles would be more appropriate. One of our members who wishes to remain

pull members out of this air or perhaps square.

One of our members who which to tremin the pull of th

roadside. We can assure all intending member this is not the initiation exercency the clus-ually does.

We have been been would like to take the opportunity to congratulate our fellow member to depend the congratulate our fellow member Col 42MA on his promotion to Sergeant an with him a happy holiday in Townsville. Ill happy holiday in Townsville. Ill locking for contacts. Col's only complaint with the promotion is the fact that increased soci-status is called for now in the mess, but seen that a tie was all the exter required.



Amateur Radio, August, 1967 Page 26

The latest bug to bite a few of our members is 40 mx mobile and helical whips, d.e. converters, etc., are the order of the day for discussion of the day o

won't look too bare. The Chib's Annual Meeting and 5th Birthday Party is to be held in the Chib Bouse on held in our Chib House. Last year we did not have any steps or lights in the Chib House. We are expecting a big roll up of visitors to be able to give a full report on the new office-hearers and a brief report of the event.

BUNDABERG AMATEUR RADIO CLUB

BUNDABERG AMATEUR RADIO CLUB
The Club has been running along very
weeks with the Convention organising and
the Youth Week Display, however, there is
weeked with the Convention organising and
the Youth Week Display, however, there is
volume to the Convention organising and
the Convention of the Convention of the Convention
that the Convention of the Con About 4 or 5 of the sets have been converted so far and are very satisfactory. The 6 metre beam at Elliott Heads was dismantled to make way for the new 60 ft. tower for the quads. Looks like a nice little antenna raising party

way for the new 60 ft fewer for the quadrit of a street, and the street, and t

TOWNSVILLE AND DISTRICT

TOWNSVILLE AND DISTRICT
The June meeting of the local radio club
the effort put into it by some of the members
to round up over 20 members to hear a lecture
by Frofesor Boyd (University of London), who
them on the various Suspace Cycles, behaviour
of the "D" Region and the upper atmosphere.
The property of the property of the club will be
able to get further speakers from the Townsville University to lecture on various matters. interest to all. of interest to all.

Very sorry that I heard too late about the

VKS boy who has become a VK4 and going
to do a stint of 12 months on Wills Island.

A pity, as I would have liked to take him
around the various shacks, also show him the
surrounding sights that tourists rave over;
better luck maybe on his return.

New York Control of the Control of t

SOUTH AUSTRALIA

The monthly general meeting of the VIG Distance of the Country of

meeting night.

The night took the form of a buy-and-sul, or as it is more politely put these days, a jumble sale night, and this probably was the through the years this type of night has always been a success. The meeting was opened on the production of the produ

one minute in their honour.

There was no correspondence, no Pederal
There was no correspondence, no Pederal
E.N. from Good STV. a little discussion on
two matters of general business, the business
side of the meeting gently fasted out. A mackeside of the meeting gently fasted out. A macketime of the stage was the stage was
then set for the "piece de ristong" of the

these sets for the "piece de ristong" of the "50 minch has been written short buy-and-eal official, will not taken the entire the set of the left type, who must pransit, anowheren, if left type, who must pransit, anowheren, if left type, who must pransit, anowheren, if and isagainst the look place threshout the the evening ther, all I can say, with my usual to the set of the set of the set of the present the set of the set of the present the set of the which closed at 10.01 ms, after the disposal which closed at 10.01 ms, after the disposal to verying prices. Quite a number of the older members

Quite a number of the older members present at the meeting, among whom were Pete 5FM, Les 5NN (looking younger than ever), and Leith 51G, who admitted that now he was once again on "the police force", felt that he should show up at the meetings now and again, and last but by no means least, Mac 5GF who usually manages a couple of visite again, and last but by no means assay, new and a second of the second of

and was quite impressed with what he saw. Leith SLG, mentioned earlier as not having been along for some time to the meeting all members who are missing for a while—that of not knowing all of the younger members of the same of the same and the same of the sa

more at hone?

One of the effect of the VAL Orone, this and that a recent importation from VGE was pretable at the effect of the VAL Orone, this and that a recent importation from VGE was pretable to the effect of the effect of the value of value of the value of va

my spies disguised as a fox, the cunning rascal, but I also believe that Barry 52MW ran out of foxes before the others even found any. Everything was checked, speed, etc., and he came through with flying colours. came through with flying colours.

Lance SXL seems to like the South Coast, judging by his usual week-end signing over as "Portable at Encounter Bay". I wonder if it ever becomes a case of fishing interfering with Amateur Radio or vice-versa.

with Amateur Radio or vice-versa. Jack SLN heard calling Athol St.Q on 7 Mc. the other Sunday morning without much re-sponse. Also heard someone else chipping in Sunday and the sunday of the sunday of the easy to try throwing a stone on his root, probably it would have been just as effective. I knew that they lived in the same general direction from my QTH, but I never thought

they lived that close.

George SCV, better known as the co-ordinator of the "Trunderbird Club" in the Pacific area, he was over Wyndham way, but when heard the other morning he was in the high country in southern WK, Cabranatia, or some such that area, so it he was contemplating a little ski-ring, it would be no dies. Heard a certain well known Amateur telling his friends not to telephone him during "Homi-cide", and in the same breath talking about a power supply of 1400 voits at around 300 mA. No names mentioned in case it leads to

homicide!
The 53.1 Mc. boys seem to keep things alive daily, judging by the way that they can be heard regularly moving to and from work, recently heard "mobile on the Ansæ Highway", and sure enough, according to one of my mobile espionage agents, there he was, but going in the opposite direction. but going in the opposite direction. The man from Franklin Rusheur. Brian mine of Cowell as his Grill. One of my spite on the control of the

large hammer?
Talking of ARTS, Phil SNN appears to have railing of ARTS, Phil SNN appears to have railing to the property of t

Mee Bild II was not my conscious because over.

Verm 5VB—The Admirat to you—Is reported as having recently pold a visit to son-in-law or the son of the so

times naval characters are a bit on the deutline Man ST and Gold or Don TH.—Our genial publications officer-seeking a certain publications officer-seeking a certain publication officer-seeking a certain publication of the seeking as a seeking a s

In talking to Jack 5JS recently I happe to mention to him that "Old" Roy 5AC still going great guns and did not look a older than when I saw him last shout

Amateur Radio, August, 1967

years or so. "What do you mean ndit" said said. The said said was a said of the said was a said was call real? Talking of the "Onlies", I notice that Joe Talking of the "Onlies", I notice that Joe the local newspapers concerning his reaching the grand old age of eighty year. Pholographs beadlines concerning the greeting cards he headlines concerning the greeting cards he headlines concerning the greeting cards he headlines concerning the greeting cards in the second control of the second con

a wonderful job, I with I could do as went Med Al SMT look on the whole affernous and we had SMT and the second of the second of

if you give an Anneuer an inch. they will a form of the process of

in the panel look extra swell at Amas time! Have you taken out your Electrician's Licence ret? If you have not, don't forget under the new licensing bill introduced into Parliament this year, for electrical workers, after January 1, 1968, anyone who wants to do any work on the 240v. mains in the shack or house wiring consistency full introduced into Parliment for the Control of the

Repairs to Receivers, Transmitters; constructing and testing; xtal conv., any frequency: Q5-ers, R9-ers, and transistorised equipment.

ECCLESTON ELECTRONICS

146a Cotham Rd., Kew. Vic. Ph. 80-3777

Stockists of Radio and Electronic Components for the Amateur Constructor and Hobbyist First Ring, Write or Call on

WILLIAM WILLIS & Co. Pty. Ltd. 430 Elizabeth St., Melbourne, Ph. 34-6539 would bob up on 60 me for a short 600 at least 600 me for me for me for set. Woods at a time like the mean little, but as my fine like the mean little, but as my fine like the mean little, but as my fine like the mean little was been little for the little for litt

WESTERN AUSTRALIA

Well, here we are again doing battle with old father time, the Commissioner of Taxation and all and sundry. There's no doubt about it, the guy who coined the phrase about to save time is to lengthen life knew what he

It the state way to be the state of the way that he was saying.

That Kalgoorile Hamfeet a few months back was certainly a well planned affair and consumer to the state of th ticipated with four radio check points to kee
them from straying.

The straying of the straying of the straying
the meeting place on Saturday evening.
After listening to the Sunday news broades
After instead of the straying of the strayin John Foxton.

Atter lunch all visitors gathered at the b.c. station 6KG, the domicile of VK6JF, before proceeding to the Hampton Hill property of Mr. Barton Jones, who kindly permitted the use of his shearers' quarters, kitchen and conveniences. Mr. Jones gave a talk on the district and described two ghost towns. control and essented two short town.

Then It was time for the costs to come and the cost of the cost

of the control of the

from the control of t

At this juncture I will endeavour to a dignified retreat—cheers and best 73, VKSDA.

HAMADS

Minimum 50c for thirty words. Extra words, 2c each.

Advertisements under this heading will be accept only from Amateurs and S.w.l's. The Published in their oplation, is of a commercial nature. Or must be reserved at P.O. Box 36, East Melbours Vic., 3002, by 5th of the month and remittance an accompany the advertisement.

FOR SALE: AR7 complete with coil boxes, Geloso 4/104 VFO on chassis, 807 meter a coupler included, \$16, AT5 with arisensa o in steel box, \$10. Ferris Radio AC/DC, \$16. Supply: 500, 450v., 250v. and 40 plus 40 c 320. 66w. PA, \$20. Other Items reasonable accepted. R. Jordan, 36 Gale St., Aspendidle

FOR SALE: FL1008 SSB Transmitter, 120w. p.e.p., only 18 months old, looks and works as new, complete with mike, \$320. G. A. Turner, VK3GN, 9 Toutcher Road, Aranat, Vio. Phone 21292.

Souly, Null Service 202, Disty, Old. Proce 2000.1, P. 197, S. 198, S.

FOR SALE: One A.W.A. 6 volt FM Carphone, 2 mx Channel A, complete in good working order. Suit Volkswagen. \$30.00. VK3AUN, Tel. 46-4200 [Melb.] SELL: Galaxy V. Transceiver together with Power Supply, \$350. Also Mosley TA33 Trapm (full size), \$30. Or sell both together for Also: Eddystone 840C Communication Rx \$80 O'Toole, 35 Rosemore Road, Rosebud, Vict Phone Rosebud 8-8085.

SELL: Geloso G4/214 13-valve Double Conversion Receiver, covering six bands, 80-10 mx, includes xtal calibrator, xtal fifter, product detector for SSB, etc., in mint condition, \$120. Pye Reportes Transceiver, converted with crystals for SJ.1 Mc. transistoriaced power supply, OCE33/12 final, series gate modulator, \$20. VK25P, Phone 64-6829. WANTED TO BUY: AR7 or similar Communications Receiver. Send particulars to Peter M. Curran, P.O. Box 49, Piangil, Vic.

A LARGE RANGE OF TRANSMITTERS, RECEIVERS, TEST GEAR, AND DISPOSALS RADIO PARTS AVAILABLE

FICO 753 S.S.R. TRANSCEIVER

Triband 80, 40, 20 metres. Solid state VFO. VOX/PTT operation. Receiver offset tuning (10 Kc.). 180 watts p.e.p. S.S.B. Kit \$328.78 inc. tax.

1500 c.p.s., vacuum mounted, octal based. 0.001% accuracy. At a give-away price of \$10.00 ea. (Limited quantity).

* PRECISION LOW FREQUENCY CRYSTALS * KYORITSH K1268 TRANSISTOR DIPPER

435 Kc. to 220 Mc. (8 ranges). Internal battery supply. Zener regulated. Solid cast case. Accuracy ±1%. Two transistors, 3 diodes. Internal 1000 c.p.s. modulation. Also functions as Absorption Wavemeter, \$39,75 inc. tax.

* VARIACS

115v. 18a. New in cartons, \$18.00 ea. or \$32.00 pair. * TRANSCEIVERS, TR1986-7

115-145 Mc. Employs heterodyne exciter in transmitter. TT15 p.a. Single xtal locks Tx and Rx on same frequency. In-built modulator. Supplied with 4.86 Mc. xtal. \$30. circuit \$1.

WANTED TO BUY

Communication Receivers, Test Equipment, etc. Call, write or phone Equipment inspected and picked up at your convenience any night or week-end.

* SR550 DUAL CONVERSION COM. RECEIVER 160 metres to 6 metres. Amateur Bands only. 3.5 Mc.

- xtal band edge marker, xtal supplied, product detector for s.s.b. \$240, 10% discount for cash. * SCR522 V.H.F. TRANSMITTER/RECEIVER
- 100-150 Mc. Complete with tubes. \$28. * PERSPEX SHEET
- 1/16 inch thick. Size 43/4" x 16". \$1 per sheet.
- * COMMAND TRANSMITTERS
- 4-5.3 Mc., 5.3-7 Mc. Complete with tubes, \$15. * TR3624 TRANSMITTER/RECEIVER
- Approximate frequency, 200 Mc. Contains 46 miniature tubes, \$30. * VALVES

EF50, 20c ea.; 7C7, 10c ea.; CV131, 6CQ6, 50c ea.; 6AC7, 20c ea.; 6AL5, 20c ea.; 6C4, 6AM5, 50c ea.; 6J6, 50c ea.; 6FQ5, 50c ea.; 12AD6, 60c ea.; 12AU6, 60c

ea.; 12BA6, 50c ea. * METERS, P25 TYPE 0-500 uA., \$5.25; 0-100 uA., \$6.95; 0-1 mA., \$4.50; 0-10 mA., \$4.50; 0-50 mA., \$4.50. Full range of Meters and

Multi-Testers available. * MINIATURE CAPACITORS

New shipment, 600 v.w. Values: 0.001, 0.02, 0.005, 0.0005, 0.0002, 0.0001 uF. \$2 for 80, plus freight.

* EDDYSTONE MODULATION METERS

160 Metres to 10 Metres. Provision for phones. Complete with antenna and carrying case, \$12.00.

* SWITCH POTS

Block Type: 10 uF. 750 v.w., \$1.50 ea.; 6 uF. 750 v.w., \$1.25 ea. Electrolytics, can type: 16 uF. 500 v.w., \$1.00 ea.; 8 uF. 500 v.w., 40c ea.

* PETERSEN RADIO (U.S.A.) 100 Kc. XTAL CALIBRATORS

Comprising 1 transistor 100 Kc. osc., 1 transistor emitter follower. Fibre glass printed circuit board. Provides accurate harmonics to 144 Mc. Trimmer on oscillator for zero beat with WWV. Xtal accuracy 0.005%. Power requirements, 15v. d.c. at 14 mA. Size 2½" x 1¾". \$22.00 inc. tax.

Miniature transistor radio type pots. 2 megohms and 5 megohms. 12c each or 10 for \$1.00. * DYNAMIC MICROPHONES

DX29 high impedance, with in-built gain control and desk stand. Response 100-15.000 c.p.s. \$7.50. * MILLER 455 Kg. PRE-WIRED I.F. STRIPS

Comprises two i.f. stages, ceramic filter, diode detector, 55 db. gain, NPN silicon transistors, d.c. requirements 6v. d.c. 2 mA., size 11/2 x 1/2 x 1/2 inch. \$8.70 inc. tax.

* TRIOA MULTIMETERS

100,000 ohms per volt. Ranges, d.c. volts: 0.5, 2.5, 10, 50, 250, 500, 1K; a.c. volts: 2.5, 10, 50, 250, 1K; d.c. current: 10 uA. 1 mA., 25 mA., 250 mA. 10 amp; resistance: 20K, 200K ohms, 2 megohms, 20 megohms. To clear, \$25,95.

* POTENTIOMETERS Wire wound, 40c each; carbon, 25c each,

* RESISTORS

1/4 watt, LR.C., Welwyn, Fire, Ducon, Philips, \$2 per 100. * 416B PLANAR TRIODES

Gold plated. Special. Ideal for 432 or 144 Mc. \$4.00 ea.

ANY QUERIES

Beginners are welcome, ask Jim and Laurie Gardiner any questions. They are Amateur Radio operators and will be only too pleased to assist.

+ CRYSTALS

Personal shoppers only, \$1 each.

New John Relays, 50c sacks, 150c, 15

ohms to 3.5 ohms; 50c each.
9-pin skirted P.T.F.E. Valve Sockets with shield, 50c ea.
3 uF. 1000v. d.c. Block Capacitors. Only 25c each or \$2 per dozen

ALL ITEMS FREIGHT EXTRA

UNITED TRADE SALES PTY. LTD.

280 LONSDALE ST., MELBOURNE, VIC. (Opp. Myers) Phone 32-3815

Amateur Radio, August, 1967

As Modern as tomorrow!





Yaesu II-100 Transceiver

FIVE BANDS - BUILT-IN POWER SUPPLY - TRANSISTORISED

Combining all the features you expect in a modern s.s.b. transceiver, PLUS many more:-

THE FT-100 SSB-CW-AM Transceiver incorporates a selective ultra-modern six-crystal lattice filter designed to give excellent audio quality and an easy-to-tune signal. Use of transitions ensures reliability with low current drain. Ideal for portable or transmitting exerces. 8-10 aministrations, 2/5 amps: transmitting exerces. 8-10 aministrations, 2/5 amps:

SELF-CONTAINED power supply is built-in, voltage regulated, can be used on 230v. a.c., 50 c/s., and 12v. d.c. simply by plugging in the special power cords provided. Makes mobile, portable or home station operation a dream.

FACILITIES: Selectable US&LSB-CW-AM. Provision for external VFO, plus builtin facility of a minimum of four crystallocked channels, and 100 kc, calibrator. Dial is similar to that used on the larger VFO series equipment—procision gear to the control of the co

NOW AVAILABLE EX STOCK

We stock "F" Series valves, diodes, matching speakers and spares; TA-33JR tri-band beams, SWR meters, co-axial connectors, etc. All prices incl. S.T., freight extra.

Australian Agents: BAIL ELECTRONIC SERVICES

VK2 Rep.: MOSMAN RADIO SERVICES

60 Shannon St., Box Hill Nth., Vic., 3129. Ph. 89-2213 11 Ruby St., Mosman, N.S.W., 2088. Phone 96-5342 (Day and Night)